Selection from nearest town or city street address of well if located within dity? Note: Part 183 & F.W.Y. 96
Name
WATER WELL OWNER: Ren 2 o.i. 1 Ren 2 o.i. 1 Ren 2 o.i. 1 Ren 2 o.i. 2 R
WATER WELL OWNER: Ren 2 o.i. 1 Ren 2 o.i. 1 Ren 2 o.i. 1 Ren 2 o.i. 2 R
Ref. St. Address, Rox # Hury 183 & 96 Roy State, ZIP Code : Rush Center, Ks. Application Number: LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL. SC
Application Number: LOCATE WELL'S LOCATION WITH AN X' IN SECTION BOX. WELL'S STATIC WATER LEVEL Q'Y, I/Q. ft. ELEVATION: No. 1
DEPTH OF COMPLETED WELL. Depth(s) Groundwater Encountered 1.0.50′ ft. ELEVATION: Depth(s) Groundwater Encountered 1.0.50′ ft. 2 ft. 3. Pump test data: Well water was ft. after hours pumping Est Yield gpm; Well water was ft. after hours pumping lost of the Depth of Complete State: Well water was ft. after hours pumping lost yell water was ft. after hours pumping lost yel
Depth(s) Groundwater Encountered 19.5 ft. 2 ft. 3 ft. 2 ft. 3 ft. 2 ft. 3 ft. 2 ft. 3 ft. 3 ft. 2 ft. 3 ft. 3 ft. 2 ft. 3 ft. 3 ft. 3 ft. 4 ft. 4 ft. 5 ft.
Useprings incomwanter Encountered WELL'S STATIC WATER ILEVEL 24.16. ft. below land surface measured on moidaylyr 3-18-92. Pump test data: Well water was ft. after hours pumping Est. Yield gpm; Well water was ft. after hours pumping Bore Hole Diameter 25.2 in. to 50. ft., and in. to in. to WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 11 Injection well 2 Injection will 1 Diamestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. No X. if I yes, moiday/yr samply mitted Water Well Disinfected? Yes. No X. if I yes, moiday/yr samply water Well Disinfected? Yes. No X. if I yes, moiday/yr samply interest in the composition of the comp
Pump test data: Well water was the after hours pumping best view got the after hours pumping best view got the after hours pumping hours pumping. Bore Hole Diameter (Soc. in, to SO. th, and in, to well water way the after hours pumping in the society of the control of the society of the so
Est. Yield
Est. Yield
Bore Hole Diameter
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only 7 Monitoring well was a chemical/bacteriological sample submitted to Department? Yes
1 Domestic 2 Irrigation 4 Industrial 7 Lawn and garden only (i) Monitoring well water supply 9 Dewatering 12 Other (Specify be well mitted water supply 9 Dewatering 12 Other (Specify be well water well Disinfected? Yes No. X if yes, mo/day/yr sample mitted
2 Irrigation 4 Industrial 7 Lawn and garden only Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. No. X; if yes, mo/day/yr sample Was a chemical/bacteriological sample submitted to Department? Yes. No. X; if yes, mo/day/yr sample Was a chemical/bacteriological sample submitted to Department? Yes. No. X; if yes, mo/day/yr sample Water Well Disinfected? Yes No. TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clampe Welded I Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded I Steel 4 ABS 7 Fiberglass Threaded. X I Steel 3 Stainless steel In. to IS 1 I Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement I Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) 3 COREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open 1 Continuous slot 6 Mill slot) 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 5 CREEN-PERFORATED INTERVALS: From 1. to 1 From 1. to 1 GRAVEL PACK INTERVALS: From 50 t. to 1 From 1. to 1 GROUT MATERIAL: 1 Neat cement 7 Cement grout 10 Other (specify) From 1. to 1 GROUT MATERIAL: 1 Neat cement 7 Pit privy 10 Fine I storage 15 Oil well-Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well-Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 12 Direction from well? West 10 Direction from sell? Other (specify below 12 Direction from well? West 10 Direction from
Was a chemical/bacteriological sample submitted to Department? Yes
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tille CASING JOINTS: Glued Clampe 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded X.
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Z. 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Z. 1 Steel 3 RMP (SR) 7 Fiberglass Threaded Z. 2 Stank casing diameter 2:3715 in. to 15 ft., Dia 2:3715 ft., Dia in. to SDR 1 2 asing height above land surface 2 in., weight weight Ibs./ft. Wall thickness or gauge No SCR 4 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 10 Asbestos-cement 1 Other (specify) 11 None (open hole) 12 None used (open hole) 11 None (open 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 11 None (open 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Other (specify) 12 None used (open hole) 13 None (open 1 Torch cut 10 Other (specify) 14 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (specify) 15 None (open 1 Torch cut 10 Other (speci
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded X ABS 7 Fiberglass Threaded X Threaded X ABS 7 Fiberglass 1, but 15 1, but 2,375 From 50 45 1, but 1
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded X Threaded
Property A ABS 7 Fiberglass Threaded X Casing diameter 2,315 in. to 15 ft. Diaz 375 From 50 45 ft. Diaz 375 ft. Diaz
Stank casing diameter 2:375 in. to 15 ft. Dia2375 From 50 ft. Dia in. to SDR 1 Casing height above land surface 2 in., weight bove land surface 3 in., weight
Casing height above land surface 2. in., weight in., weight lbs./ft. Wall thickness or gauge No. SCH APPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open 1 Continuous slot 3 Mill slot) 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 15 ft. to 15 ft., From 15 tt. to 15 ft., From 15 tt., From 15 tt
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open in 1 Continuous slot 3 Mill slot) 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 15 ft. to 15 ft., From ft. to ft., From ft., From ft. to ft., From ft., Fro
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CCREEN-PERFORATED INTERVALS: From 45 ft. to 15 ft., From ft. to ft.,
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 45 ft. to 15 ft., From ft. to From ft. to ft., From
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 45 ft. to 15 ft., From ft. to From ft. to ft., From ft., F
GREEN-PERFORATED INTERVALS: From. 45′ ft. to 15′ ft. From ft. to From. ft. to GRAVEL PACK INTERVALS: From. 50′ ft. to 13′ ft. From ft. to From ft. to From ft. to GROUT MATERIAL: 1 Neat cement ft. to From ft. to GROUT MATERIAL: 1 Neat cement ft. to From ft. to GROUT MATERIAL: 1 Neat cement ft. to From ft. to GROUT MATERIAL: 1 Neat cement ft. to From ft. to GROUT MATERIAL: 1 Neat cement ft. to From ft. to GROUT MATERIAL: 1 Neat cement ft. to From ft. to GROUT MATERIAL: 1 Neat cement ft. to From ft. to GROUT MATERIAL: 1 Neat cement ft. to The to GROUT MATERIAL: 1 Neat cement ft. to From ft. to GROUT MATERIAL: 1 Neat cement ft. to From ft. to GROUT MATERIAL: 1 Neat cement ft. to From ft. to GROUT MATERIAL: 1 Neat cement ft. to The to GROUT MATERIAL: 1 Neat cement ft. to The
From ft. to ft., From f
GRAVEL PACK INTERVALS: From. 50 ft. to 1.5 ft., From ft. to From ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement 7 Cement grout 7 Grout Intervals: From. 1.3 ft., From ft. to What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify beld 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? 10 PLUGGING INTERVALS 19.50 Med brn-1t. brn silty clay to clayey silt, dry, 10 to moist, firm, no odor, low-med plasticity.
GRAVEL PACK INTERVALS: From. 50 ft. to 1.3 ft., From ft. to From ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement ft., From ft. to Grout Intervals: From. 13 ft., From ft. to What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 1 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify beld 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 19.50 Med brn-1t. brn silty clay to clayey silt, dry, to moist, firm, no odor, low-med plasticity.
GROUT MATERIAL: 1 Neat cement Cement grout 3 Bentonite 4 Other 6 to 6 to 7 Pit privy 1 Fuel storage 1 Septic tank 4 Lateral lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 13 Insecticide storage 13 Insecticide storage 14 Abandoned water 15 Oil well/Gas well 16 Other (specify below and storage) 17 Pit privy 18 Production from well? 19 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water 15 Oil well/Gas well 16 Other (specify below and storage) 17 Pit privy 18 Production from well and storage 19 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water 15 Oil well/Gas well 16 Other (specify below and storage) 17 Production from well and storage 18 Production from well and storage 19 Feedyard 19 Insecticide storage 19 Pugging Intervals 19 Feedyard 19 Feedyard 10 Livestock pens 14 Abandoned water 15 Oil well/Gas well 16 Other (specify below and storage) 17 Production from well and storage 18 Production from well and storage 19 Feedyard 19 Insecticide storage 19 Pugging Intervals 10 Livestock pens 10 Livestock pens 14 Abandoned water 15 Oil well/Gas well 16 Other (specify below and storage) 17 Production from well and storage 18 Production from well and storage 19 Pugging Intervals 10 Puggi
Grout Intervals: From
Grout Intervals: From
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 1 Fuel storage 15 Oil well/Gas well 2 Sewer lines 3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? FROM TO LITHOLOGIC LOG FROM TO Direction from well? FROM TO Direction from well of the claywy trace amt of caliche, dry, stiff. 5 19.50 Med brn-1t. brn silty clay to clayey silt, dry, to moist, firm, no odor, low-med plasticity.
1 Septic tank 2 Sewer lines 5 Cess pool 8 Sewage lagoon 1 Fuel storage 15 Oil well/Gas well 2 Sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 5 Brn-dk brn clayw/ trace amt of caliche, dry, stiff. 5 19.50 Med brn-lt. brn silty clay to clayey silt, dry, to moist, firm, no odor, low-med plasticity.
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify beld 3 Waterlight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? How many feet? How many feet? How many feet? FROM TO PLUGGING INTERVALS 0 5 Brn-dk brn clayw/ trace amt of caliche, dry, stiff. 5 19.50 Med brn-lt. brn silty clay to clayey silt, dry, to moist, firm, no odor, low-med plasticity.
3 Waterlight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 5 Brn-dk brn clayw/ trace amt of caliche, dry, stiff. 5 19.50 Med brn-lt. brn silty clay to clayey silt, dry, to moist, firm, no odor, low-med plasticity.
Direction from well? West FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS O 5 Brn-dk brn clayw/ trace amt of caliche, dry, stiff. 5 19.50 Med brn-lt. brn silty clay to clayey silt, dry, to moist, firm, no odor, low-med plasticity.
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 5 Brn-dk brn clayw/ trace amt of caliche, dry, stiff. 5 19.50 Med brn-lt. brn silty clay to clayey silt, dry, to moist, firm, no odor, low-med plasticity.
0 5 Brn-dk brn clayw/ trace amt of caliche, dry, stiff. 5 19.50 Med brn-lt. brn silty clay to clayey silt, dry, to moist, firm, no odor, low-med plasticity.
5 19.50 Med brn-lt. brn silty clay to clayey silt, dry, to moist, firm, no odor, low-med plasticity.
5 19.50 Med brn-lt. brn silty clay to clayey silt, dry, to moist, firm, no odor, low-med plasticity.
9.50 25 It bro clavey silt moist to wet, soft, no odor.
Let bill crayey gives notice to week some and the basis
25 30 Gray brn silt, wet, very soft, no odor.
30 35 Brn gray silty sand, wet, fine-coarse grained,
poorly sorted, subrounded to round angular.
35 SO Green gray sand & gravel w/ gray silty clay
lens, wet, faint odor, subrounded grains,
poorly sorted.
poerty sorted.
I CONTRACTORIO OR LANDONNERICO CERTICIOATION. This makes well was 14% access at all 10% accessed as 10% absected well-service distinct
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1 constructed (2) reconstructed, or (3) plugged under my jurisdiction
completed on (mo/day/year) 3-18-96
completed on (mo/day/year) 3-18-96 and this record is true to the best of my knowledge and believe the best of my knowledg
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction completed on (mo/day/year) 3-18-96 and this record is true to the best of my knowledge and believe the Well Contractor's License No. 539. This Water Well Record was completed on (mo/day/yr) 5-18-96 and the business name of TB Environmental Drilling by (signature) by (signature)

Form WWC-5

KSA 82a-1212

WATER WELL RECORD