WATE:	R WELI	RECORD	Form WWC-	5	Division o	f Water Resources; App. No.	
1 LOC	ATION C		Fraction		Section Nur		Range Number
Coun	ty: Rush	County	SE 14 SW 14 S	W 1/4	22	T 18 S	R 18 E/W
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 dig							
located within city? North of Hwy K-96 & 1000' east of Hwy 183							
Longitude: 99.30513							
2 WATER WELL OWNER: Farmers Coop Elevation: TOC 19							
RR#, St. Address, Box # : Day 405					Datum:		
City,	, State, ZII	Code :		Data Collection Method: Garmin GPS handheld #12			
3 LOC	ATE WE		67575 ETED WELL34		ft Garmin GPS nandneid #12		
LOCATION							
SEC.	H AN "X' TION BO N VNE	WELL'S STATIC WAT Pump test data: Est. Yieldgpm:	ER LEVEL Well water was Well water was USED AS: 5 Publ	ft.	below land sometime below land sometime below land sometime below land supply 8	• 2 2 3	yr gpm
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well PK-2S							
	S						
5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded. 2 PVC 4 ABS 7 Fiberglass 7 Fiberglass Threaded. ✓. Blank casing diameter 1 in to 32. ft., Diameter 1 in to 33-34 ft., Diameter in to ft. Casing height above land surface0.2 in., Weight lbs./ft. Wall thickness or guage No. Schedule.40. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 1 0.01" 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) 5 CREEN-PERFORATED INTERVALS: From 32. ft. to 32. ft., From ft. to ft. GRAVEL PACK INTERVALS: From 32. ft. to 34. ft., From ft. to ft. From ft. to ft. From ft. to ft. GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other ft., From ft. to ft. From 9.75. ft. to 31. ft., From ft. to ft. Grout intervals: From 9.75. ft. to 31. ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewagealagoon 11 Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well							
		sewer lines 6 Seepage pit 9				15 Oil well/gas well	
FROM	TO	LITHOLOGIC I		FROM		PLUGGING INT	
0	0.5	Grass		1		- 50 55110 1(1)	
0.5	5	SILT					
5	30					***************************************	
		Silty CLAY SAND		<u> </u>			
30	34	SAND	· · · · · · · · · · · · · · · · · · ·	 			
				t			
	 						
							
	 		*				
under m Kansas under th	y jurisdict Water Wel ic business	R'S OR LANDOWNER'S CER on and was completed on (mo/da I Contractor's License No. 554. name of woofter Pump & Wel se typewriter or ball point pen. PLEASI	783 This Water	and Well Red	this record is cord was comy (signature)	s true to the best of my known pleted on (mo/day/year) 10	vledge and belief. /28/09
three copi 785-296-5	es to Kansas 5522. Sen	be typewriter or ball point pen. <u>FreeAst</u> Department of Health and Environment, if one to WATER WELL OWNER S.US/geo/waterwells.	Bureau of Water, Geolo	gy Section,	, 1000 SW Jacks	on St., Suite 420, Topeka, Kansas	66612-1367. Telephon