WATER WELL RECORD		Form WWC-5			iter Resources App. N			
		ATER WELL:	Fraction	/ 1/ NIT	Section Number		Range Number	
	ity: Rush	CTT II T	1/4 NW 1/4 NW		27	T 18 S	R 18 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information: (in designal degrees)								
ŧ.	from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees) Longitude: (in decimal degrees)		
1/2	1/2 E of Rush Center, KS					Elevation:		
				Datum: WGS 84, NAD 83, NAD 27				
	TER WELL O		rd		Collection Method	1:		
RR#, Street Address, Box #: 14781 Clay St.					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City	, State, ZIP Cod	e : Broomf	ield, CO 80020		Digital Map/	Photo, Topographi	ic Map, Land Survey	
2 100	A 2012 XX/IDI I				Est, Accuracy:] <3 m,] 3-13 m,	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .79 ft.								
I .	ECTION BOX: Depth(s) Groundwater Encountered (1).26							
	SECTION BOX: Depth(s) Groundwater Encountered (1).26							
	Pump test data: Well water wasft. after hours pumping gpm							
l l	EST. YIELD. 750gpm. Well water was							
W Bore Hole Diameterft., andin. toft.								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
water well districted. 🗀 163 😥 140								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .16								
Casing height above land surface. 12								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 58 ft. to 78 ft., From ft. to ft.								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From 20 ft. to .49.5 ft., From .50. ft. to .78 ft.								
From								
6 GROUT MATERIAL: ☐ Neat cement								
6 GROUT MATERIAL: Neat cement Cement grout Denomine Denomine Of Other Grout Intervals: From 0 ft. to 20 (1) ft., From 49.5 ft. to 50 (2) ft., From ft. to ft.								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines								
FROM		LITHOLO		FROM			UGGING INTERVALS	
0	2 tops							
2	35 clay							
35	43 sand	and gravel						
43	55 clay							
55	78 sand	and gravel sha	e bottom					
7.00	TED A CTOP SC	OD I ANDOWNE	Dig CEDTIFICATIO	Ni. This was	er well was Mass	etructed T recons	tructed or nlugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, □ reconstructed, or □ plugged under my jurisdiction and was completed on (mo/day/year) 05/11/11 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo/day/year) 05/23/11								
under the business name of Kelly's Water Well Service, Inc. by (signature) Kallings A Alland								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								