		ER WELL RECORD	Form WWC-5	KSA 82a	ı-1212			
1 LOCATION OF WATER WE		CVI P	/= Sec	tion Number	Township N	lumber S	Range Number	<del>asirir.</del> V
Distance and direction from ne	arest town or city street		within city?					<u> </u>
		11/01/15/	/r · /// .	1		<del>Can disease or the case of the sec</del>		
RR#, St. Address, Box #	Earl Moore RR 1, Box 55 77 Rush Center, KS 67575						ivision of Water Resou 30月分の	rces
LOCATE WELL'S LOCATIO	N WITH 4 DEPTH OF	COMPLETED WELL	73	. ft. ELEVA	TION:		2 QO OS 🗢	
AN "X" IN SECTION BOX:		dwater Encountered 1.						
;		C WATER LEVEL Ø.						
NW  NE	Est. Yield	np test data: Well water	was	ft. a	fter	hours pun	nping g	рm
* w <del>                                   </del>		neterin. to.						.ft.
2	:		5 Public wate		8 Air conditioning		njection well	
8W SE	1 Domestic		6 Oil field wat 7 Lawn and c				Other (Specify below)	
		/bacteriological sample si						
I breathanna and a second and a	mitted				ter Well Disinfect		No	an rengen
5 TYPE OF BLANK CASING	USED:	5 Wrought iron	8 Concre	ite tile	CASING JC	INTS: Glued	Clamped	1 4
	RMP (SR)	6 Asbestos-Cement	9 Other	specify below	<b>v</b> ) <sup>°</sup>	Welde	d	٠
	ABS	7 Fiberglass			And the second of the second of		ded	
Blank casing diameter								
TYPE OF SCREEN OR PERF	· · · · · · · · · · · · · · · · · · ·	, III., weight	7 PV			or gauge ino pestos-cemer		4 * *
	Stainless steel	5 Fiberglass		P (SR)			n Extrexxivaçiye	21.21.42
2 Brass 4 Galvanized steel		6 Concrete tile				ne used (ope		
SCREEN OR PERFORATION	OPENINGS ARE:	5 Gauze	d wrapped		8 Saw cut		11 None (open hole)	
1 Continuous slot	3 Mill slot	6 Wire w	rapped		9 Drilled holes			
2 Louvered shutter	4 Key punched	7 Torch			and the second s			
SCREEN-PERFORATED INTE		erecent to to						
GRAVEL PACK INTE		ft. to ft. to						
GHAVLETAON	From	ft, to		ft., From		ft. to		.II. ft
6 GROUT MATERIAL:		2 Cement grout	3 Bento					195514734
Grout Intervals: From		ft., From						
What is the nearest source of					tock pens		andoned water well	
1 Septic tank	4 Lateral lines	7 Pit privy			storage	15 Oil	l well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lago	on		ertilizer storage16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit		9 Feedyard			ecticide storage . H.O.V.L			8
Direction from well? FROM TO	LITHOLOGIC	106	FROM	How mai		LUGGING IN	ITEDWALO	
73 6H SA	MDLGRAI		FROM	10	4.	LOGGING IIV	IENVALO	-
64 3 8F	MENTGROL	) T						
3 1 6 TC	PSOIL		* X		· · · · · · · · · · · · · · · · · · ·			
			Taraba a de					
								:
					. Significant september to the transfer of the state of t			
		<del></del>		···	<del> </del>	·····	<del></del>	
		<del></del>			<u> 2840, 24, 220, 220, 240, 240</u>	<del></del>		
	<del>Anna pharacter and a perfect to the perfect to the control of the</del>			<del></del>		<del></del>	dayan ayan da	<del>iinii</del>
			<del></del>		على و در كالمديدة وقوم ويتريد والمساورين أرب معلومين		And the second s	<del></del>
				<del></del>		<del></del>		11-11-11
		<del>r - a rodina ja ostala a transpira a transpira</del>		<del> </del>		<del></del>		لتحضيف
	<del>manus in manus in processor applications and figures in a state of the state of th</del>				<del>y talah dalah dal</del>	<del></del>		41
	The second s	<del>en en e</del>				**************************************		نيسم
7 CONTRACTOR'S OR LAN	DOWNER'S CERTIFICAT	TION: This water well wa	s (1) constru	eted, (2) reco	nstructed. ด (สิ่ง)	olugaed Junde	er my jurisdiction and v	คลร
completed on (mo/day/year)							wledge and belief. Kan	
Water Well Contractor's Licens						a-11	3-"YL	. 4 1
under the business name of				by (signat	ture) Zan	$X h\Delta$	aorl	
INICTOLICTIONS THE	VIVII CIMPOUS BORROR BEEFS	COMMUNICATION OF THE PARTY OF T	same difference is a solid field.		a. Ciari	. 🔪 1 🗸 X		

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three objects to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.