LOCATIO	N OF WAT	ER WELL:	Fraction	R WELL RECORD		ion Number		mber	Range Number
County:			NW 1/4	NW 1/4 N		27	T 18	S	R 18 BW
				ddress of well if loca	ted within city?				
•		83 & K96, Rush			la la distribulan da la companya d		andred and the state of the st	<u> </u>	
		NER: Rush Cent		•			Marcodia Raik	nationalismus P	Niciales el Mister Bessesse
		# : RR 2, Box		76			Board of Ag		Division of Water Resource
City, State,		Rush Cent	The state of the s	before programme and the control of	26 F	/ F) F) /	the second state of the se	***************************************	
AN "X" II	N SECTION								, , , , , , , , , , , , , , , , , , ,
. G	$ \frac{1}{1}$								ស្រាស់ស្រុកសម្រាស់ ស្នាប់ស្រាស់ស្រុកសម្រាស់ ក្រុសស្រួន «ស្រុសសសសសសសន្តិសាស
*	i						The first control of the control of		mping gpr
	- NW	NE E							mping gpr
<u>.</u>									to anniversalit
<u>*</u> w	l l	i k	VELL WATER T	O BE USED AS:	5 Public wate	r supply	8 Air conditioning		Injection well
ī L	_ SW	SE	1 Domestic	3 Feedlot	6 Oil field wat	er supply	9 Dewatering		Other (Specify below)
		1	2 Irrigation	4 Industrial	7 Lawn and g	arden only	Monitoring well	//	Der kan kar fransk en
. L	1		Vas a chemical/l	oacteriological sample	e submitted to De				mo/day/yr sample was su
<u>.</u>	<u> </u>		nitted				ater Well Disinfected	and the state of t	No /
		ASING USED:		an arrest and the refer to	8 Concre				d Clamped ed
1 Stee	12/5.	3 RMP (SR) 4 ABS		6 Asbestos-Cemer		(specify belo	w) *********		aded
@PV0	ن عملمسملم	S 47 CH C	. to 21 5	7 Fiberglass					in. to
									o Schedule 40
		R PERFORATION		.iii., weight	(7)PV			estos-ceme	
1 Stee	ngana pagupagan na na a	3 Stainless s		5 Fiberglass	Torres .	P (SR)			
2 Bras	SS	4 Galvanized	d steel		9 AB	11 12		e used (op	en hole)
SCREEN C	R PERFOR	RATION OPENING	S ARE:	5 Ga	uzed wrapped		8 Saw cut		11 None (open hole)
1 Cor	ntinuous slo	ь Зміі	slot	6 Wir	e wrapped		9 Drilled holes		
. A Y = 0	بقفارتها عدا فبالوجودين								
∠ LOU	vered shutte	er 4 Key			ch cut		at a self-commence of the second of	•	
		er 4 Key ED INTERVALS:	From 21	•5 ft. to	. 36.5		m	fte f	
SCREEN-P	ERFORATE	ED INTERVALS:	From 21	•5 ft. to	. 36.5	ft., Fro	om	ft ft f	0 , . , . , . , ,
SCREEN-P	ERFORATE		From 21 From	•5 ft. to	36.5	ft., Fro	om		0
SCREEN-P G	RAVEL PAG	ED INTERVALS:	From	•5	36.5	ft., Fro ft., Fro ft., Fro	omom omom	ft f ft f ft f	o
SCREEN-P G 6 GROUT	RAVEL PAG	ED INTERVALS: CK INTERVALS: 1 Neat ce	From 21 From 1 From ment	•5	36.5 36.5	ft., Fro ft., Fro ft., Fro nite 4	omom omom omom	ft. 1	O
SCREEN-P G G GROUT Grout Interv	ERFORATE RAVEL PAG MATERIAL vals: Fror	ED INTERVALS: CK INTERVALS: 1 Neat ce nQft	From	•5	36.5 36.5	ft., Fro ft., Fro ft., Fro nite 4 to . 19 . (be	om	ft., f ft., f ft., f	o
SCREEN-P G G GROUT Grout Interv What is the	RAVEL PAGE MATERIAL vals: From	ED INTERVALS: CK INTERVALS: 1 Neat ce	From21 From1 From ment to 16. (cemontamination:	•5	36.5 36.5	ft., From the first file from file from from from from from from from from	om	ft. 1 ft. 1 ft. 1	O
GGROUT Grout Interview to the terms of the t	ERFORATE RAVEL PAG MATERIAL vals: Fror	CK INTERVALS: 1 Neat ce 2 October 1 October	From	•5	36.5 36.5 Bento	ft., Front, Front, Fronte 4 to19 (be 10 Live	om	ft. 1 ft. 1 ft. 1 ft. 1	o
GGROUT Grout Inten What is the 1 Ser 2 Sev	MATERIAL vals: Fror nearest so otic tank wer lines	CK INTERVALS: 1 Neat ce 1. Q ft 1 urce of possible of	From	•5	36.5 36.5 Bento 16 ft.	ft., From the fit of the fit	om	ft. 1 ft. 1 ft. 1 ft. 1 ft. 1	o
GGROUT Grout Inten What is the 1 Ser 2 Sev	MATERIAL vals: From enearest so otic tank wer lines tertight sew	CK INTERVALS: 1 Neat ce 1 O ffurce of possible co 4 Lateral 5 Cess p	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	ft. 1 ft. 1 ft. 1 14 A 15 C	o
GGROUT Grout Intent What is the 1 Sep 2 Sev 3 Wa	MATERIAL vals: From enearest so otic tank wer lines tertight sew	CK INTERVALS: 1 Neat ce 1 Neat ce 1 Constitution of possible con 4 Lateral 5 Cess per lines 6 Seepage	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	ft. 1 ft. 1 ft. 1 14 A 15 C	o
GGROUT Grout Inten What is the 1 Sep 2 Sev 3 Wa Direction fr	MATERIAL vals: From enearest so otic tank wer lines tertight sew om well?	CK INTERVALS: 1 Neat ce 1 Neat ce 1 Constitution of possible con 4 Lateral 5 Cess per lines 6 Seepage	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	ft. 1 ft. 1 ft. 1 14 A 15 C	o
G GROUT Grout Intervention What is the 1 Sep 2 Sev 3 Wa Direction from FROM 0	MATERIAL vals: Fror nearest so otic tank wer lines tertight sew om well? TO 3"	CK INTERVALS: 1 Neat ce n. 0 ft urce of possible of 4 Lateral 5 Cess per lines 6 Seepad South Concrete pad	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	14 A 15 C UGGING	o
G GROUT Grout Intent What is the 1 Sep 2 Sev 3 Wat Direction fr	MATERIAL vals: From the nearest so offic tank wer lines tertight sew om well?	CK INTERVALS: 1 Neat ce 1 Neat ce 1 Constitution of the possible of the pos	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	14 A 15 C UGGING	o
G GROUT Grout Intervent of the second of the	MATERIAL vals: From nearest so otic tank wer lines tertight sew om well?	CK INTERVALS: 1 Neat ce n. 0 ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa South Concrete pad Clay, black,	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	14 A 15 C UGGING	o
G GROUT Grout Intervention What is the 1 Sep 2 Sev 3 Wa Direction from FROM 0	MATERIAL vals: Fror nearest so otic tank wer lines tertight sew om well? TO 3"	CK INTERVALS: 1 Neat ce n. 0 ft urce of possible of 4 Lateral 5 Cess per lines 6 Seepad South Concrete pad	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	14 A 15 C UGGING	o
GGROUT Grout Intervent September 1 September 2 Seven 3 War Direction from FROM 0 3"	MATERIAL vals: From nearest so otic tank wer lines tertight sew om well?	CK INTERVALS: 1 Neat ce n. 0 ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa South Concrete pad Clay, black,	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	14 A 15 C UGGING	o
GGROUT Grout Intervent September 1 September 2 Seven 3 War Direction from FROM 0 3"	MATERIAL vals: From nearest so otic tank wer lines tertight sew om well?	CK INTERVALS: 1 Neat ce n. 0 ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa South Concrete pad Clay, black,	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	14 A 15 C UGGING	o
G GROUT Grout Intervent of the second of the	MATERIAL vals: From nearest so otic tank wer lines tertight sew om well?	CK INTERVALS: 1 Neat ce n. 0 ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa South Concrete pad Clay, black,	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	14 A 15 C UGGING	o
GGROUT Grout Intervent September 1 September 2 Seven 3 War Direction from FROM 0 3"	MATERIAL vals: From nearest so otic tank wer lines tertight sew om well?	CK INTERVALS: 1 Neat ce n. 0 ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa South Concrete pad Clay, black,	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	14 A 15 C UGGING	o
G GROUT Grout Intervent of the second of the	MATERIAL vals: From nearest so otic tank wer lines tertight sew om well?	CK INTERVALS: 1 Neat ce n. 0 ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa South Concrete pad Clay, black,	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	14 A 15 C UGGING	o
G GROUT Grout Intervent of the second of the	MATERIAL vals: From nearest so otic tank wer lines tertight sew om well?	CK INTERVALS: 1 Neat ce n. 0 ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa South Concrete pad Clay, black,	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	14 A 15 C UGGING	o
G GROUT Grout Intervention What is the 1 Sep 2 Sev 3 Wa Direction from FROM 0	MATERIAL vals: From nearest so otic tank wer lines tertight sew om well?	CK INTERVALS: 1 Neat ce n. 0 ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa South Concrete pad Clay, black,	From	.5ft. to 9ft. to 19ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	14 A 15 C UGGING	o
G GROUT Grout Intervention What is the 1 Sep 2 Sev 3 Wa Direction from FROM 0	MATERIAL vals: From nearest so otic tank wer lines tertight sew om well?	CK INTERVALS: 1 Neat ce n. 0ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa South Concrete pad Clay, black,	From	.5ft. to 9ft. to 19ft. to 10ft. to 11ft. to 12ft. to 13ft. to 14ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	14 A 15 C UGGING	o
G GROUT Grout Interv What is the 1 Sep 2 Sev 3 Wa Direction fr FROM 0	MATERIAL vals: From nearest so otic tank wer lines tertight sew om well?	CK INTERVALS: 1 Neat ce n. 0ft urce of possible co 4 Lateral 5 Cess p er lines 6 Seepa South Concrete pad Clay, black,	From	.5ft. to 9ft. to 19ft. to 10ft. to 11ft. to 12ft. to 13ft. to 14ft. to 15ft. to 16ft. to 17ft. to 18ft. to 19ft. to 19.	36.5 36.5 Bento 16 ft.	ft., From the ft., From t	om	14 A 15 C UGGING	o
G GROUT Grout Intervent September 1 September 2 Sevent 3 War Direction for FROM 0 3" 26.5	MATERIAL vals: From enearest so otic tank wer lines tertight sew om well? TO 3" 26.5 36.5	ED INTERVALS: CK INTERVALS: 1 Neat ce n. 0	From	.5	36.5	ft., From the ft., From t	om	14 A 15 C 16 C UGGING I	o
G GROUT Grout Intervent September 1 September 2 Seven 3 Was Direction for FROM 0 3" 26.5	MATERIAL vals: From enearest so otic tank wer lines tertight sew om well? TO 3" 26.5 36.5	ED INTERVALS: CK INTERVALS: 1 Neat ce n. 0	From	.5	36.5	tt., From tt., F	Om	ft. ft. ft. ft. ft. ft. ft. ft. ft	o
GGROUT Grout Intervent of the second of the	MATERIAL vals: From enearest so otic tank wer lines stertight sew om well? 26.5 36.5 36.5 ACTOR'S (on (mo/day.)	ED INTERVALS: CK INTERVALS: 1 Neat ce n. 0	From	.5	36.5. 36.5. 3Bento 16. FROM	to. 19 (be 10 Live 12 Fert 13 Inse How m TO cted, (2) rec and this rec	om	tt. 1 ft. 1	o