| | | LL RECORD | Form V | VWC-5 | | Division of Water | r Resources App. 1 | No. 11622 | |
|--|--|-------------------------------|-----------------|-----------|--------------|--|-----------------------------|-----------------------|--|
| | | OF WATER WELL: | Fraction | | Sec | ction Number | Township No. | Range Number | |
| | ounty: Rus | | 1/4 NE 1/4 S | W 1/4 SW | | 20 | T 18 S | R 19 □E | |
| fro | Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here | | | | | Global Positioning System (GPS) information: | | | |
| | 1/4 West, 1/4 South of Nekoma | | | | | Latitude: | | | |
| Tresy in a south of Honoring | | | | | Ele | evation: | | | |
| 2 W | ATER WI | ELL OWNER: Vernon | r 1 - 1 | | <u>Dat</u> | <u>um</u> : 🔲 WGS 84 | I, 🗌 NAD 83, [| NAD 27 | |
| RR#, Street Address, Box #: | | | | | Col | Collection Method: GPS unit (Make/Model:) | | | |
| | ity, State, Z | TD Codo | ı, Ks. 67559 | | - |] GPS unit (Mak] Digital Man/Pho | e/Model: oto 🏳 Topograph | uic Man D Land Survey | |
| 3 LOCATE WELL | | | | | Est. | ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m | | | |
| | ITH AN "X' | | COMDITECTED WAS | r 60 | | | | | |
| | WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) | | | | | | | | |
| | SECTION BOX: Depth(s) Groundwater Encountered (1) | | | | | | | | |
| | rump test data. Well water was 99.9 | | | | | | | | |
| | 1-NW-1 NE 1 ES1. YELD. 1997gpm. Well water was 41. ft after 3.1/2 hours numping 765 | | | | | | | | |
| W | W E Bore Hole Diameter 30 in. to | | | | | | | | |
| | WELL WATER TO BE USED AS: Public water supply Geothermal Injection well | | | | | | | | |
| | SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Variation Industrial Domestic-lawn & garden Monitoring well | | | | | | | | |
| | ▼ | | | | | | | | |
| If yes, mo/day/yr sample was submitted | | | | | | | | | |
| Water well disinfected? ✓ Yes ☐ No | | | | | | | | | |
| 5 TYPE OF CASING USED: Steel V PVC Other | | | | | | | | | |
| CASING JOINTS: V Glued Clamped Welded Threaded | | | | | | | | | |
| Casing diameter 10. in to 60 ft Diameter in to 9 Diameter | | | | | | | | | |
| Cas | Casing neight above land surface | | | | | | | | |
| THE OF SCREEN OR TENTORATION MATERIAL: | | | | | | | | | |
| Brass Galvanized Steel None used (open hole) | | | | | | | | | |
| SCREEN OR PERFORATION OPENINGS ARE: | | | | | | | | | |
| ☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify) | | | | | | | | | |
| Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 60 ft. to 40 ft., From ft. to ft. | | | | | | | | | |
| From that to the firm of the f | | | | | | | | | |
| GRAVEL PACK INTERVALS: From | | | | | | | | | |
| From ft. to ft. From ft to | | | | | | | | | |
| 6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From 20 ft., From ft. to ft. | | | | | | | | | |
| | | st source of possible contant | ft., Fron | n .4.V | . ft. to | 9 ft., F | From | ft. toft. | |
| | Septic tan | k | s Pit privy | Livestock | nene | ☐ Insecticide st | towns Mark | er (specify below) | |
| ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage | | | | | | Abandoned v | vater well | er (specify below) | |
| Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well None | | | | | | | | | |
| FROM | TO | LITHOLOGIC | CI OC | | from w | /ell | | | |
| 0 | | Top soil | C LUG | FROM | TO | | G (cont.) or PLU | GGING INTERVALS | |
| 3 | | Brown clay | | 54.5 | 60 | Shale | | | |
| 16 | | Dark brown clay | | | ************ | | | | |
| 21.5 | 27 | Dark brown to black clay | | | ····· | | | | |
| 27 | 30 | Sand & gravel- dirty brov | vn color | | | | | | |
| 30 | | Sand & gravel- med, tigh | | | | | | | |
| 34 | 48 3 | Sand & gravel- med, loos | se, clean | | | | | | |
| 48 | 50 5 | Sand & gravel- a lot of gr | ay | | | | | | |
| 50 | 54.5 | clay lens | NO. | | | | | | |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\sqrt{2} \) constructed \(\sqrt{2} \) constructed \(\sqrt{2} \) | | | | | | | | | |
| under my jurisdiction and was completed on (mo/day/year) D-1D-11 and this record is turn to the first true to the | | | | | | | | | |
| Transas trate with Contractor's Dicense No. 197. Into Water Well Record was completed on (moldey-breen) 7-28-13 | | | | | | | | | |
| under the business halfe of 1995 in anti- | | | | | | | | | |
| (white, blue, pink) to Kansas Department of Health and Environment, Burgay of Water, Goology Section, 1000 SW, Isalawa, St. 6 is 1000 FW, Isalawa, St. 6 is | | | | | | | | | |
| Telephon | e 785-296-55 | 22. Send one copy to WATER | | | | | | | |
| Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at KSA 82a-1212 | | | | | | | | | |
| x0/x 0/2 | -1414 | | | | Cl | neck: 🛛 White | e Copy, 🔲 Blu | e Copy, Pink Copy | |