WATE	R WEI	L RECORD	Form W	WC-5	Di	vision of Wate	r Resources App. No	0.	
1 LOCATION OF WATER WELLS			Fraction			on Number		Range Number	
County: Rush			1/4 NW 1/4 NE			29	T 18 S		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here .						Global Positioning System (GPS) information: Latitude:			
1/2 South, 1/4 West of Nekoma					Longitude: (in decimal degrees)				
72 Codin, 174 West of Nekoma					Eleva	Elevation:			
2 WATER WELL OWNER: Christopher Broin						Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 1724 Avenue Q					Collec	Collection Method: GPS unit (Make/Model:)			
City,	State, Z	TD C - 1.	a, KS 67559		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
3 LOCATE WELL						Est. Accuracy:			
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 230 ft.									
SECTION BOX: Depth(s) Groundwater Encountered (1)									
WELL'S STATIC WATER LEVEL46ft. below land surface measured on mo/day/yr11713								ay/yr1-17-13	
Pump test data: Well water wasft. after								ping gpm	
WNW NE E ST. YIELD. N/Agpm. Well water was									
W E Bore Hole Diameter 1.9in. to .239ft., andin. toft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								Other (Specify below)	
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes V No									
S If yes, mo/day/yr sample was submitted									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: ♥ Glued □ Clamped □ Welded □ Threaded									
Casing diameter .5 in. to .230 ft., Diameter in. to ft. Diameter in. to									
Casing height above land surface18									
Steel Stainless Steel PVC Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From 230 ft. to 170 ft., From ft. to ft.								to ft.	
From ft. to						ft From	ft i	to ft	
GRAVEL PACK INTERVALS: From 230 ft. to 20					ft., From	ft.	to ft.		
From ft. to ft., From ft. to ft. 6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
		st source of possible conta	mination:						
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock p☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage									
						☐ Abandoned ☐ Oil well/ga		lina	
□ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well Building Direction from well East □ Distance from well 20ft									
FROM	TO	LITHOLOG	IC LOG	FROM	TO			GGING INTERVALS	
0	4	Top soil		209	230	Sandstone			
32	32 41	Tan clay							
41	90	Gray shale Black shale/ very brittle	etroake			· · · /			
90	98	Sandrock/ light gray sh							
98	127	Dark gray brittle shale					CALL	741111111111111111111111111111111111111	
127	155	Light gray shale/ streak	s of coal						
155	158	Fire clay							
158	209	Sandstone/ light gray s	hale/						
streaks of coal									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) .1-17-13									
under the business name of Rosencrantz-Bemis by (signature)									
The state of the correct answers Send three copies									
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at									
intp://www.kuneks.gov/waterwell/index.html.									
NOA 82a	-1212				Ch	eck: 💟 Wh	rite Copy 🔲 Rh	ie Cony Pink Cony	

Check: ☑ White Copy, ☐ Blue Copy, ☐ Pink Copy