WATER WELL R		WWC-5		ision of Water		[ ]	
Original Record	Correction	ge in Well Use		urces App. No.	L	Well ID L	The second of th
1 LOCATION OF W	ATER WELL:	Fraction		tion Number	Township Numb		ge Number
County: Rush		1/4 NE 1/4 NW 1/4 First: George					
2 WELL OWNER: La	ast Name: Winter	Street or Rural Address where well is located (if unknown, distance and					
Business:	direction from nearest town or intersection): If at owner's address, check here:						
Address 6031 Birch	nwood	1S of Nekoma, KS					
City: Great Ben	d State: KS	ZIP: 67530		,			
3 LOCATE WELL			05				
WITH "X" IN		MPLETED WELL:		1	:		_
SECTION BOX:		Encountered: 1)3		Longitue	de:	(	decimal degrees)
N	2)				ıl Datum: ☐ WGS 8		3 □ NAD 27
X	-yr)8/29/17	Source to	r Latitude/Longitude		,		
NW NE	yr)						
NW NE	Pump test data: Well v						
W E	after hours pumping gpm						
	Well water wasft.						
SW   SE	after hours pumping gpm						Laural ELTOC
	Estimated Yield:49				6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map		
S		8 in. to		Other			
milc  Other							
		atan Summley, wall ID		10 🗆 O;1 E;	eld Water Supply: 16	0000	
Domestic:     Household		ater Supply: well ID					
Lawn & Garden							
Livestock	8. Monitorin						
2. 🔲 Irrigation							
3. ☐ Feedlot	☐ Air Sparge ☐ Soil Vapor Extraction b) Open Loop ☐ Sui						
4. 🔲 Industrial	☐ Recovery	☐ Injection		13. 🗌 Other	(specify):		
Was a chemical/bacteriological sample submitted to KDHE?   Yes No If yes, date sample was submitted:							
Water well disinfected? ■ Yes □ No							
O TYPE OF CACING	HEED. Cond DV	C Other	CASIN	NG JOINTS:	Glued  Clampe	d 🗌 Welded	☐ Threaded
Casing diameter 5 in to 45 ft., Diameter in to ft., Diameter in to ft.  Casing height above land surface 12 in Weight 2.8 lbs/ft. Wall thickness or gauge No. Sch. 40							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous Slot							
[] Louvered Shutter							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From 0 ft. to 23 ft., From ft. to ft., From ft. to ft.							
Nearest source of possibl		10., 110	10. 00	10., 1 10111			
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
Sewer Lines	☐ Cess Pool	☐ Sewage La		Fuel Storage	_	oned Water V	Vell
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
■ Other (Specify) metal.shed  Direction from well? West Distance from well? 54 ft.							
					ft THO, LOG (cont.) o		ZINTEDVALC
10 FROM TO	LITHOLO	GIC LUG	FROM	TO LI	ino, Log (cont.) o	FELLOGGING	JINIEKVALS
- A TOTAL CONTRACTOR OF THE PARTY OF THE PAR	op soil		-				
The second secon	clay						
	and and gravel						
61 65 s	shale						
The state of the s							
21 10 10 10 10 10 10 10 10 10 10 10 10 10			Notes:				
TVICS.							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) .08/29/17 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo-day-year) 19/3.1/1							
under the business name of Kelly's Water Well Service, Inc. Signature Kathum & Buad							
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
		66612-1367. Mail one to			or your records. Teleph		
Visit us at http://www.kdheks	.gov/waterwell/index.html		KSA 82a-12	14		Kevised	7/10/2015