		Fraction	Sec	tion Number	Township Number	Range Number
	County: Street/Rural Address of Well Location;			al Positioning	T S Systems (GPS) infor	mation:
	direction from nearest town or intersect		Latitu	de:	Systems (G15) mior	(in decimal degre
	check here	,	Long	tude:		(in decimal degre
			Eleva	tion: WG	SS84, □ NAD83	NAD27
				ction Method:	150 -1 ,	, <u> </u>
2	WATER WELL OWNER:				xe/Model:	
	RR#, St. Address, Box #:			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
	City, State ZIP Code:		Est. A	ccuracy: \square <	3 m, □3-5 m, □	\mid 5-15 m, $\mid \square > 15 \text{ m}$
3	MARK WELL'S LOCATION	4 DEPTH OF WE	гт	£4		
3	WITH AN "X" IN SECTION					
	BOX:	WELL'S STATION		EVEL	ft	
W		WELL WAS USE	ED AS:			
	NW NE	Domestic	Pub	lic Water Supp	ly Dewa	atering
	е Е	Irrigation	Oil	lic Water Supp Field Water Sunestic (Lawn &	pply Moni	itoring
		Feedlot Industrial	Don Air	nestic (Lawn & Conditioning	Garden) Injec Other	tion Well r
	SW SE	industrial		Conditioning		
		Was a chemical/ba	cteriological	sample submit	tted to Department?	Yes No
5	TYPE OF BLANK CASING USE	<u> </u> 'D•				
6	Steel RMP (SR) Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL:	Asbestos-Cement Was casing pulled? Y surface in.	Concrete	Tile		
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible	Asbestos-Cement Was casing pulled? Y surfacein. Neat cementft. toft., ole contamination:	Cement grou	Tile If yes, ho t	ow muchnite	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank S Sewer lines P	Asbestos-Cement Was casing pulled? Y surface in. Neat cement ft., to ft., ole contamination: leepage pit Fit privy F	Cement grou	Tile If yes, ho t	ow much	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible septic tank	Asbestos-Cement Was casing pulled? Y surface in. Neat cement ft., ple contamination: eepage pit Frit privy	Cement grou From Guel storage Fertilizer storagesecticide storage	Tile If yes, ho t	ow much nite	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible Septic tank Sewer lines P Watertight sewer lines S Lateral lines F	Asbestos-Cement Was casing pulled? Y surface in. Neat cement ft., If. to ft., Sole contamination: eepage pit Ft., seepage pit Ft., seewage lagoon In. deedyard A	Cement grou	Tile If yes, ho t	ow much nite	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Y surface in. Neat cement ft., Ple contamination: Reepage pit Ft. Rewage lagoon In greedyard A civestock pens O	Cement grou From Guel storage fertilizer storagesecticide storage bandoned we gil well/Gas wel	Tile If yes, ho t Bentor ft. to age rage ter well Dir yell Ho	ow much nite	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulled? Y surface in. Neat cement ft., If. to ft., Sole contamination: eepage pit Ft., seepage pit Ft., seewage lagoon In. deedyard A	Cement ground From	Tile If yes, ho t Bentor ft. to age rage ter well Dir yell Ho	ow much nite	ft. to ft.
66	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Y surface in. Neat cement ft., Ple contamination: Reepage pit Ft. Rewage lagoon In greedyard A civestock pens O	Cement grou From Guel storage fertilizer storagesecticide storage bandoned we gil well/Gas wel	Tile If yes, ho t Bentor ft. to age rage ter well Dir yell Ho	ow much nite	ft. to ft.
66	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Y surface in. Neat cement ft., Ple contamination: Reepage pit Ft. Rewage lagoon In greedyard A civestock pens O	Cement grou From Guel storage fertilizer storagesecticide storage bandoned we gil well/Gas wel	Tile If yes, ho t Bentor ft. to age rage ter well Dir yell Ho	ow much nite	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Y surface in. Neat cement ft., Ple contamination: Reepage pit Ft. Rewage lagoon In greedyard A civestock pens O	Cement grou From Guel storage fertilizer storagesecticide storage bandoned we gil well/Gas wel	Tile If yes, ho t Bentor ft. to age rage ter well Dir yell Ho	ow much nite	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Y surface in. Neat cement ft., Ple contamination: Reepage pit Ft. Rewage lagoon In greedyard A civestock pens O	Cement grou From Guel storage fertilizer storagesecticide storage bandoned we gil well/Gas wel	Tile If yes, ho t Bentor ft. to age rage ter well Dir yell Ho	ow much nite	ft. to ft.
66	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Y surface in. Neat cement ft., Ple contamination: Reepage pit Ft. Rewage lagoon In greedyard A civestock pens O	Cement grou From Guel storage fertilizer storagesecticide storage bandoned we gil well/Gas wel	Tile If yes, ho t Bentor ft. to age rage ter well Dir yell Ho	ow much nite	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Y surface in. Neat cement ft., Ple contamination: Reepage pit Ft. Rewage lagoon In. Reedyard A. Redyard A. Reviewstock pens O.	Cement grou From Guel storage fertilizer storagesecticide storage bandoned we gil well/Gas wel	Tile If yes, ho t Bentor ft. to age rage ter well Dir yell Ho	ow much nite	ft. to ft.
7	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Y surface in. Neat cement ft., Ple contamination: Deepage pit Ft. Deevage lagoon In Seedyard Active stock pens O GGING MATERIALS WNER'S CERTIFICA	Concrete Tes No Cement group From Guel storage Tertilizer storage Tertilizer storage Tertilizer storage The secticide storage FRO THON: The	Tile If yes, ho The Benton of the benton o	ow much	ft. to ft.
7	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Y surface in. Neat cement ft., Ple contamination: Deepage pit Ft. Deevage lagoon In Seedyard Active stock pens O GGING MATERIALS WNER'S CERTIFICA	Concrete Tes No Cement group From Guel storage Tertilizer storage Tertilizer storage Tertilizer storage The secticide storage FRO THON: The	Tile If yes, ho The Benton of the benton o	ow much	ft. to ft.
7 com We:	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Was casing pulled? Y surfacein. Neat cementft., Neat cementft., Neepage pitFtit privyFtit privyFtit privy	Concrete Tes No Cement group From Guel storage Fertilizer storage From FRO FRO TION: The secord is to dell Record vertilizer.	Tile If yes, ho t	ow much	my jurisdiction and helief. Kansas W

KSA82a-1212

Revised 1/29/2014