USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215



Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction	Sec	ion number	Township number	Range number
l, Location of well:	Rush	1/4 SW 1/4 SW		23		R 19 EW
treet address of well	ction from nearest town or city: $_{ m location}$ if in city: $_{ m location}$ mile	$\frac{1}{2}$ mile south & s east of Nekoma	R.R. or stree	: c/o V sip code: G	n Weitzel Estat irgil E. Belfor reat Bend, KS	d, Box 24 67530
4. Locate with "X" in section below: Sketch map:					6. Bore hole dia. 24 in Well depth 75 ft.	. Completion date 7-25-7
NW	- In Employment and a second s	and an accommission and a second	nitiai (nitrasa ang ang ang	ot allow		
- SW	SE — SE —	Annually VIII (Annually Control of Control o	. OF 188	Martin Wat	IT A K Irrigation A Lawn C	ir conditioning Stock il field water Other Height: Above or below
1 S S 1 Mi	i come anteriore como un a sinterestamina e a private escrib	CONTRACTOR AND ASSESSMENT OF THE SECOND ASSESS	enyly come remembershipson o i god enter betydd	r der weister zu der	Threaded Welded X	iSurface12in Weight3.03lbs./ft.
. Type and color of	material		Fro	m To	Dia ft. dep 10. Screen: Manufacturer's	th gage No. XXXXXXX
	and clay	************		27	Type double-slot	Length30"
a company of the company		rnxnxgraàxarranka Øxżxxxxxxxxxxxxxx		NALANA.	Set between 45 ft. Gravel pack? <u>yes</u> Size ro	ft. and $\frac{75}{100}$ ft. and $\frac{75}{100}$ ft. and $\frac{75}{100}$ ft. ange of material $\frac{378-200}{100}$.
	asxystaxnidaxž88	xaaks		RX	11. Static water level; 30 8 ft. below land sur	amountained by the second seco
Sand & gr	avel, clay strea	ks ,50' to 60',—th ,—thin clay strea		7 75	ft. after	hrs. pumping g.p.m. hrs. pumping g.p.m.
Andreas and con-	AD 12	in more recommended to the second second Second second		. Log egy	Estimated maximum yield	g.p.m. mo./day/yr. Date
i i i i i i i i i i i i i i i i i i i		energy 22 2000 3 17 ready 200 sweet out, peop 35, 2	rayes till si situ Son Yulio (1 vo. Ven I (1-en	1	14. Well head completion: Pitless adapter 15. Well grouted? YES	12 Inches above grade
			swy fels		•	BentoniteConcreteC
	andra en la companya de la companya Antre en la companya de la companya	a Sarah	**************************************		16. Nearest source of possible ft Direction Well disinfected upon complete.	Type <u>Field</u>
					17. Pump: Manufacturer's name	X Not installed
						HP Volts ft. capacity g.p.m.
	(Use a seco	nd sheet if needed)			Submersible Jet Centrifugal	Turbine Reciprocating Other
18. Elevation: Topography: Hill Slope Upland	19. Remarks:	2021			20. Water well contractor's This well was drilled under m is true to the best of my know	ny jurisdiction and this report vledge and belief. Equip., Inc. 181 License No.