


LOCATION OF WATER WELL: Fraction NW 1/4 SW 1/4 SW 1/4 Section Number 36 Township Number T 18 S Range Number R 2

Distance and direction from nearest town or city street address of well if located within city? 4 1/2 miles north and 2 miles east of Galva, KS.

WATER WELL OWNER: James Clark RR#, St. Address, Box #: R. R. 2 City, State, ZIP Code: Galva, KS. Board of Agriculture, Division of Water Resources Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



DEPTH OF COMPLETED WELL: 58 ft. ELEVATION: 35 ft. 2. Depth(s) Groundwater Encountered: 32 ft. 3. WELL'S STATIC WATER LEVEL: 32 ft. below land surface measured on mo/day/yr 9-21-82. Pump test data: Well water was 33 ft. after 2 hours pumping 12 gpm. Est. Yield 15 gpm: Well water was ft. after hours pumping gpm. Bore Hole Diameter: 8 in. to 58 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well XX1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well. Was a chemical/bacteriological sample submitted to Department? Yes No XX; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes XX No

TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) XX 2 PVC 4 ABS Blank casing diameter 4 in. to 48 ft., Dia 2.16 in. to .191 ft. Casing height above land surface 12 in., weight 2.16 lbs./ft. Wall thickness or gauge No. 191. TYPE OF SCREEN OR PERFORATION MATERIAL: XX 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: XX 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 4 Key punched 7 Torch cut 10 Other (specify) 2 Louvered shutter 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

SCREEN-PERFORATED INTERVALS: From 48 ft. to 58 ft., From ft. to ft. From 15 ft. to 58 ft., From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: XX 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 5 ft. to 15 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) Direction from well? WEST How many feet? 150 ft

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	Top soil			
3	11	Gray clay			
11	14	Fine white sand			
14	22	White sandy clay			
22	35	Gray clay			
35	43	Fine sandy clay			
43	48	Gray Clay			
48	54	Fine to medium sand			
54	58	Brown clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-25-82 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 9-25-82 under the business name of Peterson Irrigation, Inc. by (signature) Mike Peterson

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.