

1] LOCATION OF WATER WELL:		Fraction		Section Number	Township Number		Range Number	
County: Rush		NE ¼ SW ¼ SW ¼		20	T 18 S		R 20 E/W	
Distance and direction from nearest town or city street address of well if located within city?								
K96 Hwy & Whippet Ave, Alexander								
2] WATER WELL OWNER: Mid-State Farmers Coop								
RR#, St. Address, Box # : PO Box 195								
City, State, ZIP Code : Rush Center, KS 67575								
Board of Agriculture, Division of Water Resources								
Application Number:								
3] LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4] DEPTH OF COMPLETED WELL 44.5 ft. ELEVATION: ft.					
			Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.					
			WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr					
			Pump test data: Well water was NA ft. after hours pumping gpm					
			Est. Yield NA gpm: Well water was ft. after hours pumping gpm					
			Bore Hole Diameter 8 in. to 44.5 ft., and in. to ft.					
			WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
			1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
			2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Air sparge					
			Was a chemical/bacteriological sample submitted to Department? Yes.....No✓; If yes, mo/day/yr sample was submitted					
			Water Well Disinfected? Yes No✓					
5] TYPE OF BLANK CASING USED:								
1 Steel			3 RMP (SR)			5 Wrought iron		
2 PVC			4 ABS			8 Concrete tile		
			7 Fiberglass			CASING JOINTS: Glued Clamped		
Blank casing diameter 2 in. to 40 ft., Dia 2 in. to 44.5 ft., Dia in. to ft.						Welded		
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No. Sch. 40						Threaded. ✓		
TYPE OF SCREEN OR PERFORATION MATERIAL								
1 Steel			3 Stainless steel			7 PVC		
2 Brass			4 Galvanized steel			10 Asbestos-cement		
			6 Concrete tile			11 Other (specify)		
SCREEN OR PERFORATION OPENINGS ARE:			5 Gauzed wrapped			8 Saw cut		
1 Continuous slot			6 Wire wrapped			11 None (open hole)		
2 Louvered shutter			7 Torch cut			9 Drilled holes		
3 Mill slot						10 Other (specify)		
4 Key punched								
SCREEN-PERFORATED INTERVALS: From 40 ft. to 42.5 ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 37 ft. to 44.5 ft., From ft. to ft.								
6] GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From 3 ft. to 34 ft., From 34 ft. to 37 ft., From ft. to ft.								
What is the nearest source of possible contamination:								
1 Septic tank			4 Lateral lines			10 Livestock pens		
2 Sewer lines			7 Pit privy			14 Abandoned water well		
3 Watertight sewer lines			8 Sewage lagoon			15 Oil well/Gas well		
6 Seepage pit			9 Feedyard			16 Other (specify below)		
Direction from well?								
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS								
0 15 Silt, clayey, Brown								
15 20 Silt, Lt. Brown								
20 28 Clay, silty, Brown w/Dark Brown								
28 31 Sand, clayey, f-m, Gray w/Brown								
31 44.5 Sand, f-m, Grayish Brown								
AS9, Flushmount								
7] CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/26/2011 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 6/20/11								
under the business name of GeoCore, Inc. by (signature) Dale [Signature]								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.								

 $\frac{1}{2}$