CITOON	TON OF WA	ATED WELL		WELL RECO	JRD FOITH V	Cootoo Nu	· · -	wnship Numb		Dance N.	imbos 1
1 LOCATION OF WATER WELL: County: Ness			Fraction NW 1/4	NE ¼	NW ¼	Section Nur 31	T T	•	S	Range Nu	
		on from nearest tow					<u></u>	18		R 21	<b>-E</b> W)
		ington, Bazine,		ICIESS OF MEII	ii located within	i City ?					
				0 1 0							
		WNER: Coopera		Supply Co	0.		_				
RR#, St. Address, Box # : P.O. Box 8  Board of Agriculture, Division of Water Resources											esources
	e, ZIP Code		Kansas 67516					cation Numbe			
3 LOCA	TE WELL'S AN "X" IN S		DEPTH OF COM								
******		N I	Depth(s) Groundwa								
	X	T	WELL'S STATIC V								
	W	NE .			ell water was .						
	INVV	1 1 1	Est Yield NA.								
W Wile	+		Bore Hole Diamete							to	ft
₩ W	<del> i</del>	E	WELL WATER TO	BE USED A				onditioning		jection well	!
1, 1	-i.		1 Domestic	3 Feedlot		water supply				ther (Specify t	
	- SW	SE	2 Irrigation		al 7 Lawna						
i↓ I			Was a chemical/b	acteriological	l sample submit	ted to Departr				no/day/yr sam	
-		<del>\</del> \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	submitted				Water Well	Disinfected?	Yes	No 🗸	<u></u>
5 TYPE	OF BLANK	CASING USED:	5	Wrought iro	n 8 C	oncrete tile	CA	SING JOINTS	Glued .	Clamp	ed
<b>ე</b> 1 s	teel	3 RMP (SR)	6	Asbestos-Co	ement 9 C	Other (specify	below)			1	
(2)P	VC	4 ABS	7	Fiberglass					Thread	ed. 🏑	
Blank cas	ing diamete	r	in. to $\dots$ 30.	ft, Dia		in. to	ft,	Dia	i	n. to	ft.
Casing he	ight above I	and surface	<del>. 4</del> .8 in.	., weight			lbs./ft. Wall th	hickness or g	auge No.	Sch .4	.0
TYPE OF	SCREEN C	R PERFORATION	MATERIAL		<b>(</b> 7	PVC		10 Asbesto	s-cemen	t	
1 S	teel	3 Stainless s	steel 5	Fiberglass	9	RMP (SR)		11 Other (s	specify).		-
2 B	rass	4 Galvanized	d steel 6	Concrete tile	9	ABS		12 None us	sed (open	n hole)	
SCREEN	OR PERFO	RATION OPENING	S ARE:	ARE: 5 Gauzed wrapped				8 Saw cut 11 None (open hole)			
1 C	ontinuous s	lot 3 Mill	slot	6	Wire wrapped		9 Drille	d holes		` '	
2 L	ouvered shu	utter 4 Key	y punched	7	Torch cut		10 Other	r (specify)			
SCREEN-	PERFORAT	ED INTERVALS:	From 3	30 ft	to 4	5 ft,	From		fL to		ft
From											
	GRAVEL PA	CK INTERVALS:	From 2	<b>8</b> ft	to 4	5 ft.,	From		fL to		ft 2
			From	ft	to	ft.,	From		fL to		ft
6 GROU	MATERIA	L: 1 Neat ce	ement 2	Cement grout	t (3)E	Bentonite	4 Other				
Grout Inte	rvals: From	mf	ft. to 26	ft. From	26	. ft. to	28 ft.	From		ft. to	ft
Grout Intervals: From									l l		
	tic tank	4 Lateral		7 Pit pri	iw		uel storage			well/Gas well	
	er lines						ertilizer stora		16 Othe	er (specify bel	ow)
3 Wat	ertiaht sewe	er lines 6 Seepa						ecticide storage Former UST Basin			
	from well?	West		•			many feet?		201		
FROM	10	77 636	LITHOLOGICTO	G	FRO				ING INTE	ERVALS	
0	2	Clay, Dark Bro	own								
2		Clay, Brown									NEC
40		Sand, Light Br	own								
		, ,									
											2
							MW17. T	ag # 00181794	1. Flusher	nount	
										n and Supply (	-
								347, KDHE	_		× ×
7 00:-	AOTOFO	DI ANDOMESICO	OCCUPIO A TON	. Thi	unil una A	notructed (0)					
\( \text{CONTR}	ACTORS C	R LANDOWNER'S	CERTIFICATION	: Inis water	well was (1) co	nstructed, (2)					
and was c	ompleted or	(mo/day/year)		, 3(13/3// 27	Th:- \A/	and th				nowledge and	
		ontractor's License						//			
under the	business na	ime of	GeoCore S	Services, II	nc.	by (Si	gnature)	Lal	Fort		