WATER WELL RECURD FORM WWC-5					Division of Wate	r Resources App. N	0	
1 LOCATION OF WATER WELL:			Fraction		Section Number	Township No.	Range Number	
County: Ness			¼ NE ¼ NE	4 NF 4			R 22 □E ☑W	
					<u> </u>			
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information								
from nearest town or intersection: If at owner's address, check here . Latitude:								
West side of Bazine, KS					Longitude: (in decimal degrees)			
7.400 0100 01 manning 1.10					Elevation:			
					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Jeff Werth					Collection Method:			
RR#, Street Address, Box #: P.O. Box 87					GPS unit (Make/Model:)			
at a grad t					Digital Map/Photo, Topographic Map, Land Survey			
City, State, ZIP Code : Bazine, KS 67516								
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m								
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 60								
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).42							
İ	N WELL'S STATIC WATER LEVEL. 42							
Pump test data: Well water was .44								
	V N							
w			eterin. to					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE Domestic								
sv	v S	Irrigation					······································	
			bacteriological sample	_ culmitted to	Departments	Vec DI NA		
	_					Tes AT 140		
S If yes, mo/day/yr sample was submitted								
 	1 mile	Water well disin	fected? 📝 Yes 🗌	No				
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5. in. to .69. ft., Diameter								
Casing height above land surface. 24 in., Weight 2.91 lbs/ft., Wall thickness or gauge No21								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 60 ft. to20 ft., From ft. to								
From								
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other								
Grout Intervals: From .20 ft. to .0 ft., From								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
)								
	·			7				
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) or PLU	IGGING INTERVALS	
0	3	Top soil						
3	32	Gumbo		1				
				 				
32	42	Sand		 				
42	47	Sand rock		<u> </u>				
47	52	Clay						
52	60	Shale	· · · · · · · · · · · · · · · · · ·	 	Original I	Returned to S	Sender	
"-	100	Ularo		 	AliAnia i		(100/1)	
	 			 	For Corre	ction Date:	14/24/10	
							1	
	I							
<u> </u>	i i							
CONTRACTORS OF LANDOWNERS CENTURE CATION. The								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .06/1.5/1.0 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 0.199 This Water Well Record was completed of the day bear) 0.06/25/19								
under the business name ofKarst Water Well Drilling and Service by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								