


1 LOCATION OF WATER WELL: Fraction <u>SE</u> County: <u>NESS</u> <u>NE</u> 1/4 <u>NE</u> 1/4 <u>SE</u> 1/4 Section Number <u>#1 30</u> Township Number T <u>18</u> S Range Number R <u>23</u> E/W
--

Distance and direction from nearest town or city street address of well if located within city?
111 S TOPEKA NESS CITY

2 WATER WELL OWNER: FLOYD E FOOS RR#, St. Address, Box # : 111 S TOPEKA City, State, ZIP Code : NESS CITY KS 67560	Board of Agriculture, Division of Water Resources Application Number:
---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL <u>55</u> ft. ELEVATION: Depth(s) Groundwater Encountered 1 <u>40</u> ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL <u>40</u> ft. below land surface measured on mo/day/yr <u>9-12-03</u> Pump test data: Well water was ft. after hours pumping gpm Est. Yield <u>20-25</u> gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial <u>X</u> Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No <u>XX</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No <u>XX</u>
---	---

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>XX</u> Clamped <u>XX</u> PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded	Blank casing diameter <u>5</u> in. to <u>3.5</u> ft., Dia in. to ft., Dia in. to ft. Casing height above land surface <u>1.8</u> in., weight <u>1.60</u> lbs./ft. Wall thickness or guage No.
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass <u>XX</u> RMP (SR) 10 Asbestos-Cement 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 11 Other (Specify) 12 None used (open hole)	SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot <u>XX</u> Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) ft.
SCREEN-PERFORATED INTERVALS: From <u>35</u> ft. to <u>55</u> ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From <u>30</u> ft. to <u>55</u> ft., From ft. to ft. From ft. to ft., From ft. to ft.	

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <u>3</u> Bentonite 4 Other Grout Intervals: From <u>0</u> ft. to <u>25</u> ft., From <u>XX</u> ft. to ft., From ft. to ft.	What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? How many feet?
--	---

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	10	SURFACE CLAY			
10	30	HARD YELLOW CLAY			
30	40	GRAY CLAY			
40	50	MED SAND			
50	52	YELLOW LIMESTONE			
52	55	BLUE SHALE			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>XX</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>9-12-03</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>444</u> This Water Well Record was completed on (mo/day/yr) <u>9-12-03</u> under the business name of ANDY ANDERSON DRILLING by (signature) <i>Andy Anderson</i>
--