		WA	TER WELL REC	CORD	Form WWC	C-5 I	KSA 82a-	1212 10) No					
1 LOCATION OF WATER WELL: Frac							Sec	ction Numb	er T	ownship N		Range N	umber	
County:	<u>NES</u>		SW 1/4		14 NW			30	Т	18	<u>s</u>	R 23	XE/W	
Distance an	d direction f		wn or city street				in city?							
1			HESTNUT	NE	ESS CIT	<u>Y</u>						<u></u>		
2 WATER	WELL OW	NER:			LANGER									
City, State,		:	NESS	S CIT	IESTNUT	6756	0		A	Application	Number:	ivision of Water		
			4 DEPTH OF (COMPLE	ETED WELL .		52	ft. ELE	::NOITAV					
AN "X" IN	I SECTION I N	BOX:	Depth(s) Grou	ndwater	Encountered	, 1	34		ft. 2		ft. 3	9-16-03	ft.	
	「	····I	WELL'S STATE	IC WATE	data: Wellv data: Wellv	vater wa	ft. beld	ow land sur	face measi ft after	ured on m	o/day/yr hours ai	umping		
	'x	1	Est. Yield	20	gpm: Well w	vater wa	s	••••••••••••••••••••••••••••••••••••••	ft. after		hours p	ımping	gpm	
	-NW -	- NE	WELL WATER	TO BE	USED AS:	5 Pub	lic water s	supply	8 Air c	conditionin	g 11 In	jection well		
w	i	E	1 Domestic 2 Irrigation		Feedlot Industrial		ield water			atering		ther (Specify be		
vv	1	'	2 imgation	4	muusma	ZMZMOZKI	iesiic (iav	vii & gardei	11) 10 WOI	morning we		••••••••••	••••••	
- SW SE Was a chamical/hacteriological sample submitted to Department? Ves No. XX : If yes molday/yrs sample										la was sub				
was a chemical bacteriological sample submitted to bepartment: 1es									No X					
		1												
5 TYPE C	DE BLANK C	ASING USED:		5 Wro	ought iron		8 Concre	ate tile		ASING IC	INTS: Glue	XX Clamp	and .	
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR)							9 Other (specify below)			CASING JOINTS: GluedXX. Clamped				
x2x7xVC 4 ABS `			7 Fiberglass								aded			
			in. to											
	-		18	in.	, weight				lbs./ft, V					
TYPE OF SCREEN OR PERFORATION MATERIAL:					E Eibardlaga			₹₹VC			10 Asbestos-Cement 11 Other (Specify)			
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel					5 Fiberglass 6 Concrete tile			8 RMP (SR) 9 ABS			ne used (op			
		ATION OPENIN	NGS ARE:		5.6	hozeus	wrapped		8 Sa	w cut	, , ,	11 None (oper	n hole)	
	inuous slot		till slot			Vire wra			9 Dri	illed holes		` .	,	
	ered shutte		ey punched			orch cut								
SCREEN-P	ERFORATE	D INTERVALS:	From	32	ft. to	52		ft., Fro	om		ft. to		ft.	
			From	20	ft. to			ft., Fro	om		ft. to		ft.	
G	RAVEL PAG	CK INTERVALS												
	T MATERIA		t cement		ement grout		3.∯ent	tonite	4 Other					
			ft. to	30	ft., From	••••••	ft. t							
What is the nearest source of possible contamination:								10 Livestock pen			14 Abandoned water well			
1 Septic tank 4 Lateral lines			7 Pit privy			11 Fuel stora					il well/Gas well			
2 Sewer lines 5 Cess pool			8 Sewage lago						-		ther (specify be	,		
3 Watertight sewer lines 6 Seepage pit Direction from well?					9 Feedyard			13 Insecticide How many fe			***************************************		•••••••	
FROM	TO		LITHOLOGIC	CLOG			FROM	TO	lially leet:	PI	UGGING IN	TERVALS		
	10	CUDEAC	O LOG			710111	10			oddina in	TETTVALO			
10	40		CE CLAY ZELLOW CI	λ V										
40	45	FINE S		1/3.1								74.		
45	50	MED SA			1									
50	52	∦ BLUE												

						_								
7 00175	AOTODIO O	D 1 41/2011	DIO OFFICIALI		9-1·		4) :	-1-1 (2)				, , , , ,		
CONTRA	ACTOR'S O	R LANDOWNE	R'S CERTIFICA 0-16-03	ATION: T	nıs water we	ıı was (X Xonstru	ucted, (2) re	econstructe	ed, or (3) p	plugged und	er my jurisdiction	on and was	
			4.4											
under the bu			Y ANDERS						by (signatur	. / .!	reli C	Inderso	מבו	
											WILL L	NEUNIC	100	

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Asamband Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.