WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number T 18 S R 23 DE 10 W
County: <b>Vess</b> Street/Rural Address of Well Location; i	NW14 NW14 NW14 NW 1/4	Global Positioning System (GPS) information:
from nearest town or intersection: If at of	numer's address check here	Latitude: (in decimal degrees)
From New City, N on 283	I make to Road 170	Longitude:
		Elevation:
18 miles east, 100 yalds	south to the well.	Datum: WGS 84. NAD 83, NAD 27
2 WATER WELL OWNER: MIK	e J Priteler	Collection Method:
	97 R Road	☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
City, State, ZIP Code : Nes.	s City Ks 67560	Est. Accuracy:
3 LOCATE WELL	4	I was a second of the second o
WITH AN "X" IN 4 DEPTH OF C	COMPLETED WELL	.T
SECTION ROY: Depth(s) Ground	hwater Encountered (1) A	70 ft (2) II. (3)
N WELL'S STATE	II. WAIEK LEVEL	below land surface measured on mo/day/yr. 1 - 29 - 13  the after 19 - 19 - 19 - 19 - 19 - 19 - 19 - 19
Town William	test data: Well water was	1. ft. after
Down Hale Diese	eter 12% in to 24	t., andft.
W E Bore Hole Diam	TO BE USED AS: Public wat	er supply   Geothermal   Injection well
	Feedlot Oil field water	er supply Dewatering Uther (Specify below)
	☐ Industrial ☐ Domestic-lay	vn & garden  Monitoring well
Was a chemical/	bacteriological sample submitted to	Department?  Yes  No
	day/yr sample was submitted	2
	ifected? Yes No	
5 TYPE OF CASING USED: Stee	I PVC Dther	
CASING JOINTS:  Glued  Clar	nped  Welded  Threaded	
Casing diameter5 in. to2	9 ft., Diameter in.	toft., Diameterin. toft.
Casing height above land surface3	in., Weight	lbs./ft., Wall thickness or gauge No
TYPE OF SCREEN OR PERFORATION  Steel Stainless Steel	MATERIAL:	Other (Specify)
Brass Galvanized Steel	None used (open hole)	Office (Openity)
SCREEN OR PERFORATION OPENING	GS ARE:	
Continuous slot Mill slot	Gauze wrapped Torch cut	Drilled holes None (open hole)
Louvered shutter Key punched	☐ Wire wrapped ☐ Saw cut	Other (specify)
SCREEN-PERFORATED INTERVALS:	From ft to	ft From ft to
GRAVEL PACK INTERVALS:	From 14 14 to 8.	ft., From ft. to ft.  fun swift, From ft. to ft.  ft. ft. ft. ft.  ft. ft. ft. ft.
ŧ	rrom IL IU	IL., I (VIII
6 GROUT MATERIAL: Neat ceme	ent Cement grout Bento	nite
Grout Intervals: From ft. to	) ft., From	ft. to ft., From ft. to ft.
What is the nearest source of possible control	amination:	Other (specify below)
Sewer lines Cesspool Watertight sewer lines Seepage	☐ Sewage lagoon ☐ Fuel storage it ☐ Feedyard ☐ Fertilizer s	
Direction from well		from well
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
	DIO CERTIFICATION TI	
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION: This wat	er well was 🛮 constructed, 🗆 reconstructed, or 🗀 plugged
under my jurisdiction and was completed of	M (mo/day/year) a	nd this record is true to the best of my knowledge and belief. ecord was completed on (mg/day/year)
under the histories name of		by (signature) Make fullely
INSTRUCTIONS: Hearty newsiter or hall point per	<ul> <li>PLEASE PRESS FIRMLY and PRINT of</li> </ul>	early. Please fill in blanks and check the correct answers. Send three copie
(white blue pink) to Kaneae Depar tment of Health	and Finvironment. Bureau of Water. Geo.	ogy Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 606 12-136 /
Telephone: 785-296-5524. Send one copy to WA' http://www.kdheks.gov/waterwell/index.html.	TER WELL OWNER and retain one for	your records. Include fee of \$5.00 for each constructed well. Vi sit us a
KSA 82a-1212		Check: White Copy, Blue Copy, Pink Cop