			WAIE	H WELL RECORD	Form WWC	2-5 KSA 82a	-1212			
1 LOCATION OF WATER WELL:  County:  Ness			Fraction NE 1/4	SE 14	CTAT	ection Number 30	Township N		Range Nu	
Distance	and direction		or city street a	ddress of well if loc	ated within city		1 10	<u> </u>	R 23	E(W)
23	O' E of	Franklin, 1	.00' S of	Sycamore, N	ess City					
2 WATE	R WELL OV		il Co.							
	Address, Bo		Sycamore				Spard of A	igriculture,	Division of Water	Resourc
	a, Z:P Code		ity, KS		42		Ap <sub>e</sub> l etion	Number:		
E LOCAT	IN SECTIO	N BOX:	DEPTH OF C	OMPLETED WELL.	43	ft. ELEVA	TION:			
r		<u> </u>	Depth(s) Ground	water Encountered WATER LEVEL	NA 4	Dolow land over	·	ft. 3	l	fc
	i .	1 ;   1	Puma	test data: Well w	ater was	below land sur	race measurad on Har	hours ou	mping	an.
	NW	NE   E	st. Yield	gpm: Well w	ater was		tter	hours pu	moing	gpr
2			Bore Hole Diame	ater8in.	to 43		and	in	. to	
Wile w	!	! I'v	VELL WATER T	O BE USED AS:			8 Air conditioning	11	Injection well	
1	SW	SE	1 Domestic	3 Feedlot			9 Dewatering			
	, X		2 Irrigation	4 Industrial			Monitoring well			
<u>į</u> (			vas a cnemicai/i nitted	bacteriological samp	ie submitted to					
5 TYPE	OF BLANK	CASING USED:	intou	5 Wrought iron	8 Con	crete tile	ter Well Disinfecte		No k	
1 S		3 RMP (SR)		6 Asbestos-Ceme		er (specify below			ed	
(2)P	VC	4 ABS		7 Fiberglass			,	Thres	aded 🗸	
Blank cas	ing diameter	،	դ to38	ft., Dia	in.	to	. , .ft., Dia		in. to	ft
Casing he	eight above I	and sunace		.in., weight			ft. Wall thickness	or gauge N	0	
		R PERFORATION		5 5	Ø₽			estos-ceme		
1 S 2 B		3 Stainless s 4 Galvanized		5 Fiberglass 6 Concrete tile	8 F	RMP (SR)				• • • • • •
		RATION OPENING					12 None used (open hole) 8 Saw cut 11 None (open			hole)
	ontinuous sid	<u> </u>			re wrapped		9 Drilled holes		Trone (open	1 11010)
2 L	ouvered shut	ter 4 Key	punched		rch cut		10 Other (specify	′)		
SCREEN	PERFORAT	ED INTERVALS:	From 3	8	43	ft., From	n	ft. t	o	<i>.</i>
			From	ft. to	42	ft., Fror	n	ft. t	o	ft
	GRAVEL PA	CK INTERVALS:	From	.7		tt., Fror				
6 GBOU	T MATERIAL	L: 0 Neat cer	mont (	2)Cement grout	(3)Ben		n Other			
Grout inte		raft.	. to	ft., From 3	5 ft.	to 37	ft From	<b>.</b>	ft. to	
What is the	ne nearest so	ource of possible co					ock pens		bandoned water	
1 Septic tank 4 Lateral lin			lines	nes 7 Pit privy			storage	15 Oil well/Gas well		
2 Sawer lines 5 Cass poo							12 Fartilizer storage 16 Other (specify below)			
	-	ver lines 6 Seepag Unknov	ge pit vm	9 Feedyard			icide storage	nown	• • • • • • • • • • • • • • • • • • • •	
FROM	from well?	1	LITHOLOGIC	LOG	FROM	How man	ry reet? Olik	UGGING II	NTERVALS	
0	1	Silt & Gra								
I	16	Brown Silt								
16	18	Very Fine		and						
18 35	35 43	Brown Silt					TITH I			
	43	Green Silt					VEW Flushmount			
	<del> </del>						Don Taylor			
						<del> </del>	2011 14/101			
	<del> </del>									
						-  -				
Ţ						1				
		0.20	CERTIFICATION—94	ON: This water well	was (1) constr					
•	on (mo/day	/year) 5 's License No 5		This Water	Well Becord		d is true to the bes	of my kno -24–10	owiedge and beli -94	er. Kansas
	li Contractor business na	GeoC	ore Servi	ces, Inc.	AASII WECOLG A	vas completed o by (signat	711	Reli	. <del></del>	
011001 (IIE	Duaniesa ila					by (signati	ure) Salt	M	,	