KOLAR Document ID: 1575196

				Division of Water					
		Fraction		sources App. Nection Numbe		Well ID	a Numbar		
1 LOCATION OF WATER WELL: County:		Fraction 1/4 1/4 1/4		ction Numbe	1	Township Number Range Numbe T S R □ E □			
2 WELL OWNER			eet or Rural Address where well is located (if unknown, distance and						
Business: direction from nearest town or intersection): If at owner's address, check here:									
Address:									
Address:	Stata:	ZIP:							
City: 3 LOCATE WELL	State:	-							
WITH "X" IN	WITH "X" IN 4 DEPTH OF COMPLETED WELL:			5 Latitude:					
SECTION BOX:	Depth(s) Groundwater Encountered: 1)			Longitude:(decimal degrees)					
N	2) ft. 3) ft., or 4) \(\sqrt{Dry}\) WELL'S STATIC WATER LEVEL:			Datum: WGS 84 NAD 83 NAD 27					
	below land surface, measured on (mo-day-yr)				e for Latitude/Longitud)		
	above land surface, measured on (mo-day-yr)								
	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map					
w H	E after hours pumping			Online Mapper:					
SW SE	Well water was								
	Estimated Yield:		gpm	6 Elevation :ft. ☐ Ground Level ☐ TOC			d Level □ TOC		
S	Bore Hole Diameter:	gnii in. to	ft. and		Source:				
mile				Other					
7 WELL WATER TO BE USED AS:									
1. Domestic:		ater Supply: well ID			l Field Water Supply:				
Household	6. Dewatering: how many wells?				11. Test Hole: well ID				
—	☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID								
☐ Livestock 2. ☐ Irrigation	—				12. Geothermal: how many bores?				
3. ☐ Feedlot	☐ Air Sparge ☐ Soil Vapor Extraction				b) Open Loop Surface Discharge Inj. of Water				
4. ☐ Industrial	☐ Recovery			13. Other (specify):					
4. Industrial Recovery Injection 13. Other (specify):									
Water well disinfected? \square Yes \square No									
8 TYPE OF CASING USED: Steel PVC Other									
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.									
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination: No potential source of contamination within 200 ft.									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
□ Sewer Lines									
Other (Specify)									
Direction from well? Distance from well?									
10 FROM TO	LITHOLO	GIC LOG	FROM	TO	LITHO. LOG (cont.) o	r PLUGGIN	G INTERVALS		
	+			+					
	+			+ +					
			Notes:	<u> </u>					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year)									
under the business name of									
	Send one copy to WATER W	VELL OWNER and retain of	one for your re	cords. Fee of \$5	.00 for each constructed w	ell.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212									