WATER WELL RECORD Form WWC-5 KSA 82a-1212									
1 LOCATION OF WATER WELL Fraction				ection Number	Township N	Township Number		Range Number	
County: Lane	SW 1/4	SW 1/4 SE	1/4	26	т 18	S	R 27	Æ/W	
Distance and direction from nearest town or city? 14 Miles East Of Alamota, Kansas Street address of well if located within city?									
2 WATER WELL OWNER: Greenwald Trust									
RR#, St. Address, Box # : Box 74 Board of Agriculture, Division of Water Resources									
City, State, ZIP Code : Li		as 67901					reaction of veator	1100001000	
							in to	ft	
DEPTH OF COMPLETED WELL36ft. Bore Hole Diameter9in. to36ft., andin. toft. Well Water to be used as: 5 Public water supply 8 Air conditioning 11 Injection well									
			9 Dewat						
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well									
Well's static water level									
Pump Test Data : Well water was 29 ft. after									
Est. Yield 30 gpm: Well water was ft. after hours pumping gpm 4 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile Casing Joints Glued									
4 TYPE OF BLANK CASING USED:	Market Control of the					The state of the s	r.		
1 Steel (3 RMP (SR)) 2 PVC 4 ABS		` .		er (specify below)	.,,		ed		
	. 20								
Blank casing dia									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass				RMP (SR) 11 Other (specify)					
		5 Fiberglass 8 RMP 6 Concrete tile 9 ABS		CONTRACT STREET, STREE	Manual Manual Control of the Control		used (open hole)		
			ر و ed wrapped	8 Saw cut)		11 None (open hole)			
1 Continuous slot 3 M	Mill slot		, ,	•	9 Drilled holes		· · · · · · · · · · · · · · · · · · ·	110107	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
Screen-Perforation Dia 5	in to 36	ft Dia	in the state of	ne to	ft Dia	y ,	in to		
Screen-Perforation Dia 5 in. to 36 ft., Dia in. to ft. f									
From 15 15 15 15 15 15 15 15 15 15 15 15 15									
Gravel Pack Intervals: From									
From ft. to ft.									
5 GROUT MATERIAL Neat cement 2 2 Cement grout 3 Bentonite Other Drill Cuttings									
Grouted Intervals: From 15 ft. to 25 ft. From 0 ft. to 15 ft., From ft. to									
What is the nearest source of possible contamination: [2008] The lateral of the storage with the storage with the storage and the storage with					oandoned water	well			
1 Septic tank 4 Cess pool		7 Sewage lagoon		11 Fertilize	11 Fertilizer storage		15 Oil well/Gas well		
2 Sewer lines 5 Seepage pit		8 Feed yard		12 Insection	12 Insecticide storage		16 Other (specify below)		
3 Lateral lines 6 Pit privy		9 Livestock pens		13 Waterti	13 Watertight sewer lines				
Direction from well									
Was a chemical/bacteriological sample submitted to Department? Yes									
was submitted month									
If Yes: Pump Manufacturer's nameCylinderModel No.WindmillHPVolts									
Depth of Pump Intake									
Type of pump: 1 Subme			3 Jet				g (60		
6 CONTRACTOR'S OR LANDOWNE			_	- marginatics property.					
completed on									
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No 232									
This Water Well Record was completed on									
name of Weishaar Drilling			by (signatu	1007	James See 1 m	dow	201010		
7 LOCATE WELL'S LOCATION F WITH AN "X" IN SECTION	ROM TO	LITHOLOG		FRØM_	TO		ITHO/LOGIC LO	G	
BOX:	0 28			1	32/ 52	Sand			
N	3236_	Shale							
NW NE			- Some dance of the community						
¥ W E									
SW SE									
							Annual Control of the		
S 1 Mile									
ELEVATION:			***************************************						
Depth(s) Groundwater Encountered 128ft. 2 ft. 3			ft. 4	and the second s		(Use a second sheet if needed)			
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send too to							d top three		
copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									