

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

County		Fraction W 1/2		Section number	r Township number	Range number		
1. Location of well:	Lane	192K 1964 NW	1/4	27	т 18 s	R 28	≫ Ø	
2. Distance and direction from n		-02	3. Owner of well:		Mumma Feed	Mumma Feed Yard		
Street address of well location if	S. of Dight	LUII	R.R. or street: City, state, zip code:		Dighton, KS	Dighton, KS 67839		
4. Locate with "X" in section be	slow:	6. Bore hole dia 124 in Well depth 36 ft.	. Completion date 6-	3-7				
X NE - NE -					7 Cable tool X Rotary Hollow rod Jetfed	Driven Dug	rotary	
W 1 1	E				8. Use: Domestic P		itry	
SW SE					Lawn 0 9. Casing: Material Stee	I field water Other	ow wo	
<u> </u>]				Threaded WeidedX		bs./ft.	
5. Type and color of material	-1			From To	Dia 58 in. to 36 ft. der	th Wall Thickness: inch	es or	
J. Type and cold of malaria		· · · · · · · · · · · · · · · · · · ·			10. Screen: Manufacturer's			
See atta	chment	·			Type Continuous	5 Dia. 8 5/8	11	
				<u> </u>	Set between26	ft. and <u>36</u>	ft.	
				Lbc. T	Gravel pack?Yes Size ra		m-"·	
		A magazina de la compania del compania del compania de la compania del la compania de la compani		cqaT	11 Static water level:ft, below land su	race Date 3-3-1	<u> </u>	
.70			iq Q ————————————————————————————————————	c ball	12. Pumping level below land	surfaces: Not	pum	
habit yirkili. Vengan desiya qemiyali desiyalida	. (13	T A G. U	- 415 1	1.1	ft. after	nrs. pumpingg	.p.m.	
Age Advantage of the control of the		TT Color Management and Color William William	ت الحادد	9 1.7	Estimated maximum yield — 13. Water sample submitted:		g.p.m.	
and the state of t	and decrease and the second	- y term to the interior and the second of t	100		Yes X No			
				anchi	14. Well head completion: Pitless adapter	Inches above gro	ode	
					15. Well grouted? Yes With: Neat cement	Bentonite X Cor	ncrete	
		•			Depth: From ft. to	<u> 10 </u> #.		
		· · · · · · · · · · · · · · · · · · ·			16 Negrest source of possible ft2800 Direction	VE Type Fee	مته	
					Well disinfected upon completed 17. Pump:	Not installed	No	
					Manufacturer's name Red	-	240	
					Length of drop pipe	_ ft. capacity 18 g	.p.m.	
					Type: X Submersible	Turbine		
	(Use a second si	heat if needed)			Jet Centrifugal	Reciproca	nting	
18. Elevation: 19. Remark					20. Water well controctor's			
					This well was drilled under m is true to the best of my know	ledge and belief.		
Topography:Hill					Henkle Drlg.		145	
X Slope	•				Business BOx 639 G	arden City,	KS	
Upland Valley					Signed Ki 1901 Authorized rep	resentative Date 6	-10	

DRILLERS TEST LOG

CUSTOMERS NAME Mumma Feed Yard	DATE 5-3-76
STREET ADDRESS	TEST # 66
CITY & STATE Dighton, KS	DRILLER Livingston
COUNTY Lane QUARTER W2 SECTION 27 TOWNSH	IP 18 RANGE 28
LOCATION 100 ft. south of Well #12	WELL LOCATION #13

%	DRILLED	-	FOOTAGE	Static Water Level
	From	Pay	To	Description of Strata Proposed Well Depth 3
	0		2	Top soil
	2		15	Brown clay
	15	07	22	Sand fine to med. coarse and white rock
	22	13	35	Sand fine to med. coarse, small to med. gravel,
				white rock
	35		36	Soapstone
	36		40	Shale TOTAL DEPTH OF WELL 36 FT.
	-		-	CASING SCHEDULE
			·	
			·	36' - 26' Johnson 8 5/8"
			-	26' - 0' Plain

	***************************************		7- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1-	
	5		antaksunatandia tahulu sidatan sertaga terbagaan (dalah dipagaan) da	

HONE 276-3278

ARDEN CITY, KANSAS HENKLE DRILLING & SUPPLY CO., INC. SUBLETTE, KANSAS IRRIGATION HEADQUARTERS

PHONE 675-4311