## EVO 18

WAT	ER W	ELL REC	CORD	Form '	WWC-5		Division of Water	Resources App. No	$\sum_{i} V$	018	
			TER WELL:	Fraction		Sect	ion Number	Township No.	Range N	Number	
		lcPherson		NE 14 NW 14	1/4	14	22	T 18 S	R 3	□E <b>V</b> W	
				if unknown, distance		ı Glob	al Positioning	System (GPS) in	formation:		
i				owner's address, che	. Lati	Latitude: (in decimal degrees)					
			500 feet south o	d, Lon	Global Positioning System (GPS) information: Latitude:						
М	McPherson, Kansas						Datum: WGS 84) DATUM 83, I NAD 27				
2 W	WATER WELL OWNER: CENWK - Kansas City Division						Collection Method:				
		t Address, I		2th Street - Room		GPS unit (Make/Model:)					
Ci	ty, State.	, ZIP Code	: Kansas	City, Missouri 641		☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey					
	Est. Accuracy: 🗸 <3 m, 🗍 3-5 m, 🗍 5-15 m, 🗍 >15 m										
1	3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 67										
	SECTION BUX: Depth(s) Groundwater Encountered (1) 21 ft (2) ft (3)										
52	N WELL'S STATIC WATER LEVEL. A.A										
	WELL'S STATIC WATER LEVEL. A.A. ft. below land surface measured on mo/day/yr.  Pump test data: Well water was. A. ft. after hours pumping. gpm										
l L.,	LST. YIELD./K/gpm, Well water wast. after,hours pumpinggpm										
w	W     E   Bore Hole Diameter										
	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☑ Injection well										
	sw Domestic										
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well											
Was a chemical/bacteriological sample submitted to Department?  Yes No  If yes, mo/day/yr sample was submitted											
S   If yes, mo/day/yr sample was submitted											
Water wor distributed? 1 Tes 19 190											
5 TYPE OF CASING USED: Steel V PVC Other											
CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter 4 in to 11 in Weight 1 in Wei											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)											
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to 47											
From ft. to ft.											
GRAVEL PACK INTERVALS: From 70 ft. to 44 ft., From ft. to ft.											
From ft. to ft. to ft.											
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other Aigh Sanda Stand											
Grout Intervals: From 44. ft. to 3. ft., From ft. to ft. to ft. to ft.											
			f possible contan								
	Septic ta		Lateral lines		Livestock		Insecticide ste		(specify be	low)	
<u> </u>	Sewer li	nes	Cesspool	☐ Sewage lagoon ☐ Feedyard	☐ Fuel Store	ge L	Abandoned w	ater well			
				C. L. conyana				++++++++++++++++++++++++++++++++++++++			
FROM	то	1	LITHOLOGIC		FROM	ТО	LITHO. LOG	(cont.) or PLUG	GING IN	TERVALS	
O	1	7.0	ospil								
	28	,	Clav								
28	70		andly cla	V							
			1 /						-		
			, , ,								
					ļ						
		5 to 14.		Operation of the second				· =		1	
7 CONT	RACTO	OR'S OR L	ANDOWNER'S	CERTIFICATION	N: This wat	er well wa	s 🖊 constructe	a, LI reconstruct	ea, or ∐ p	pingged	
under m	y jurisdio	ction and wa	as completed on (	mo/day/year)e		nd this rec	ora is true to the	ne pest of my know	ylodge an	d belief.	
Nansas \	water W	en Contracti	Boart Longvea	597 This V	ater well R	hv /ein	s compicied on	THE STATE OF THE S	7)		
INSTRUC	TIONS	Ise ty newriter	or hall point pen P	LEASE PRESS FIRMLY	and PRINT ele	arly Please	till in blanks and	check the series an	NVCIS Send	three copies	
(white, blu	e, pink) to	Kansas Depar	tment of Health and	E nvironment, Bureau o	of Water, Geol	ogy Section,	1000 SW Jackson	n St., Suit 420, Top	eka, Kansas	666 12-1367.	
Telephone	785-296-3	5524. Sendo	ne copy to WATER	WELL OWNER and re	ctain one for y	our records	. Include fee of	\$5.00 for each consto	ucted_well.	Visitus at	
http://www.kdhcks.gov/vaterwell/index.html.  CSA 87a-1212  Check: White Copy, Blue Copy, Pink Copy											