


1 LOCATION OF WATER WELL: County: Lane Fraction: SE 1/4 SW 1/4 NW 1/4 Section Number: 3 Township Number: T 18 S Range Number: R 30 **EW**

Distance and direction from nearest town or city street address of well if located within city?

3/4 mile west 5 1/2 South of Healy, Kansas

2 WATER WELL OWNER: Mr. & Mrs. Gail E. Sharp
 RR#, St. Address, Box #: Box 140
 City, State, ZIP Code: Healy, Scott City, Kansas 67850
 Board of Agriculture, Division of Water Resources
 Application Number: 34784

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 134 ft. ELEVATION:
 Depth(s) Groundwater Encountered: 1. 85 ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL: 85 ft. below land surface measured on mo/day/yr 1/3/84
 Pump test data: Well water was 116 ft. after 8 hours pumping 350 gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter: 28 in. to 134 ft., and in. to ft.
 WELL WATER TO BE USED AS:
 1 Domestic 2 Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Lawn and garden only 8 Air conditioning 9 Dewatering 10 Observation well 11 Injection well 12 Other (Specify below)
 Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:
1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) 10 Asbestos-cement
 Blank casing diameter: 16 in. to 105 ft., Dia. in. to ft., Dia. in. to ft.
 Casing height above land surface: 12 in., weight 42.05 lbs./ft. Wall thickness or gauge No. 250
 TYPE OF SCREEN OR PERFORATION MATERIAL:
1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify Extruded Bridge type) 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify Extruded bridge type) 11 None (open hole)
 SCREEN-PERFORATED INTERVALS: From 105 ft. to 135 ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 15 ft. to 135 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 4 ft. to 15 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
 Direction from well? Northeast How many feet? 1500

| FROM | TO | LITHOLOGIC LOG | FROM | TO | LITHOLOGIC LOG |
|------|-----|------------------------|------|-----|----------------|
| 0 | 25 | Clay | 25 | 38 | Caliche |
| 38 | 44 | Sandy clay | 44 | 51 | Clay |
| 51 | 54 | Fine sand | 54 | 60 | Sand rock |
| 60 | 63 | Fine sand | 63 | 73 | Sand rock |
| 73 | 77 | Fine sand | 77 | 80 | Sand rock |
| 80 | 105 | Fine sand clay streaks | 105 | 130 | Sand |
| 130 | 133 | Yellow clay | 133 | 135 | Shale |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1/4/84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 232. This Water Well Record was completed on (mo/day/yr) 1/30/84 under the business name of Weishaar Drilling & Supply Inc. by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
1830
EW
SEC
3
SE 1/4 SW 1/4 NW 1/4