

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

420

1 LOCATION OF WATER WELL: County: Scott Fraction 1/4 SW 1/4 NW 1/4 SW 1/4 Section Number 24 Township No. T 18 S Range Number R 31 E W

Street/Rural Address of Well Location: 96 Hwy & South Willow Rd. 7 Tenths Mile South On Willow Rd. 200' East To Well Global Positioning System (GPS) information: Latitude: Longitude: Elevation: Datum: Collection Method: Est. Accuracy:

2 WATER WELL OWNER: Ron Suppes RR#, Street Address, Box #: 660 South Willow City, State, ZIP Code : Scott City, KS 67871

3 LOCATE WELL WITH AN "X" IN SECTION BOX: N W E S 1 mile

4 DEPTH OF COMPLETED WELL 122 ft. Depth(s) Groundwater Encountered (1) 68 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 68 ft. below land surface measured on mo/day/yr Pump test data: Well water was 75 ft. after 4 hours pumping 50 gpm EST. YIELD 75 gpm Well water was ft. after hours pumping gpm Bore Hole Diameter 10 in. to 122 ft., and in. to ft. WELL WATER TO BE USED AS: Domestic Feedlot Oil field water supply Geothermal Injection well Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted. Water well disinfected? Yes No

5 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5 in. to .82 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface .16 in., Weight 200 lbs./ft., Wall thickness or gauge No. SDR21 TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From .82 ft. to 122 ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From .25 ft. to 122 ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From .5 ft. to .25 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well .165 Distance from well South West

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows include Top Soil, Brown Clay, Gypsum With Cemented Sand, Brown Clay With Cemented Sand Str., Brown Clay With Medium Sand Streaks, Fine To Medium Sand Few Brown Clay, Cemented Sand, Brown Clay With Cemented Sand Str., Fine To Medium Sand Small Gravel.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 12-5-18 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 532 This Water Well Record was completed on (mo/day/year) 12-7-18 under the business name of Midwest Well & Pump Inc. by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.