			WATE	R WELL RECOR	RD Form W	WC-5 KSA 82a	n-1212		M	WID		
1 LOCATION OF WATER WELL: Fraction						Section Number	ction Number Township Number			Range Number		
County:	_SC07			SW 14	SW 1/4	/8	T 18	S	R	32	E(W)	
				iddress of well if	100 1.							
, 22			Scort		KS 6;	7841	The state of the s					
			ROBINSON	, /								
RR#, St. /	Address, Bo	x# : BOX 11	12	,,,,	1		Board of Ag	riculture, Div	vision c	of Water F	lesource	
City, State	, ZIP Code	: GARDE	U CITY,	KS 678	46		Application	Number:				
3 LOCATI	E WELL'S L	OCATION WITH	4 DEPTH OF C	OMPLETED WE	_{LL.} 1.5.0	ft. ELEVA	TION: 29.78	OF				
AN X	IN SECTION	1 BOX:	Depth(s) Ground	lwater Encountere	ed <u>1l.</u>	3.6 ft. :	2	ft. 3			ft.	
ī	!	1	WELL'S STATIC	WATER LEVEL	133.22	ft. below land sur	rface measured on i	mo/day/yr	12/2	U/960		
	NIW/	NE					fter					
	1	145	Est. Yield	gpm: Wel	ll water was .	ft. a	ıfter	hours pum	ping	,	gpm	
e w	i		Bore Hole Diam	eter ${\cal B}$ i	in. to <u>/</u> 5	0.5tt.,	and	in. t	to		ft.	
W W	ı	1 "		TO BE USED AS		water supply	8 Air conditioning		jection			
ī	SW	l c	1 Domestic	3 Feedlot	6 Oil fiel	ld water supply	9 Dewatering	12 O	ther (S	pecify belo	ow)	
"		1 1 m m JE m m 1	2 Irrigation	4 Industria	al 7 Lawn	and garden only	10 Monitoring well)					
	Х ;		Was a chemical/	bacteriological sa	mple submitted	to Department? Y	esNo	; If yes, n	no/day/	yr sample	was sut	
L	(mitted			Wa	iter Well Disinfected	? Yes		100)		
5 TYPE C	OF BLANK (CASING USED:		5 Wrought iron	8 C	Concrete tile	CASING JOIN	ITS: Glued .		Clamped		
1 Ste	el	3 RMP (SI	R)	6 Asbestos-Cer	ment 9 C	Other (specify below	w)	Welded	i			
(2 PV		4 ABS	e alle a	7 Fiberglass				Thread	èб`			
Blank casi	ng diameter	B	in. to 12.0) ft., Dia	أ ، ،	in. to	ft., Dia	in	. to	12 12 44	ft.	
Casing he	ight above la	and surface	m M. J.L	.in., weight a	7.0:t.l	lbs./	ft. Wall thickness or	gauge No.	0.	23£.,		
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:			7 PVC	10 Asbe	stos-cement	t			
1 Ste	el	3 Stainless	steel	5 Fiberglass	;	8 RMP (SR)	11 Othe	r (specify) .				
2 Brass 4 Galvanized steel				6 Concrete tile	•	9 ABS	12 None	used (oper	n hole)			
SCREEN OR PERFORATION OPENINGS ARE:				5	Gauzed wrapp	ed	8 Saw cut		11 Non	ie (open h	iole)	
1 Continuous slot 3 Mill slot				6 Wire wrapped			9 Drilled holes					
	uvered shut		ey punched	7	Torch cut	1	10 Other (specify)					
SCREEN-I	PERFORATI	ED INTERVALS:					m					
_			From	ft.	to	ft., Fro	m	ft. to.			ft	
(iRAVEL PA	CK INTERVALS:	•								ft	
d opour	MATERIAL		From	***************************************	to	ft., Fro					ft	
Grout Inter				2 Cement grout		Bentonite 4	Other					
				· · · · · · · · · · · · · · · · · · ·								
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines			7 Dit pri	.0.4	- CONTRACTOR - CON	AND THE PROPERTY OF THE PROPER			Abandoned water well			
2 Sewer lines 5 Cess pool			7 Pit privy		The state of the s	Notice and the second of the s			Oil well/Gas well Other (specify below)			
3 Watertight sewer lines 6 Seepage pit							=	10 011	er (spe	city below	′)	
		SOUTH-	age pit	3 reedy.	aru	How ma	ny feet? 100			· · · · · · · ·		
FROM	TO		LITHOLOGIC	LOG	FRC			JGGING IN	TERVA	LS		
0	45	SILTY C	LAY									
45	100	SANDY C	TLAY				THE PARTY OF THE P					
100	150	SAND	Speciment in the second second				The state of the s		PERSONAL PROPERTY AND A			
			MARKET STATE OF THE STATE OF TH					Totale manual - totale manual Protestary - 1				
			The state of the s							The second secon		
										73-13-45-		
							The second secon					
							The state of the s				Principles and American States of the Confession	
				Van 2010 1100 1100 1100 1100 1100 1100 110			The second of th			7.4		
							The second of th					
7 CONTE	RACTOR'S	OR LANDOWNER	R'S CERTIFICAT	ION: This water v	well was (1) co	nstructed (2) reco	onstructed, or (3) plu	ugged unde	r my ju	risdiction	and wa	
completed	on (mo/day	(year) 12/0	6/96				ord is true to the bes					
							on (mo/day/yr)		197			
		me of CORMA				by (signa	6401.1		1/18			
						lanks, underline or circle	the correct answers. Se		pies to K	ansas Depar	rtment	
							WNER and retain one for					