			WELL RECORD	Form WWC-5		2a-1212		
LOCATION OF WA	TER WELL:	Fraction NW 1/4	SE ¼ SW		tion Numbe			Range Number
	n from nearest town o			1/4 ad within city?	28	т 18	S	R 32 E/W
	1 mi W	or city street addi	ess of well it locate	d within city?				
		Tondfill	79787 7770					
,	WNER: Scott Co							
	ox # : Scott Ci	ty KS 6787.	1					Division of Water Resource
City, State, ZIP Code							on Number:	
AN "X" IN SECTION								
	I WE	ELL'S STATIC W	ATER LEVEL 85	ft. be	elow land s	urface measured of	on mo/day/yr	
		Pump te	est data: Well wate	er was	ft.	after	. hours pu	mping gpm
NW	Es	t. Yield	. gpm: Well water	er was	ft.	after	. hours pu	mping gpm
	Во	re Hole Diameter	. 8 • 75in. to			, and	in	to
w - 1				5 Public wate				Injection well
- 1	1 !	1 Domestic	3 Feedlot	6 Oil field wat	er supply	9 Dewatering	12	Other (Specify below)
sw	SE	2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring we	ell	
i	, Wa	as a chemical/bac	teriological sample	submitted to De	partment?	YesNo.X	 ; If yes,	mo/day/yr sample was sub
	<u>s</u> mit	tted			v	Vater Well Disinfec	ted? Yes	K No
TYPE OF BLANK	CASING USED:	5	Wrought iron	8 Concre	te tile	CASING J	OINTS: Glued	d Clamped
1 Steel	3 RMP (SR)	6	Asbestos-Cement	9 Other	specify bel	ow)	Weld	ed <i>.</i>
2 PVC	414 ABS	7	Fiberglass				Threa	aded. X
Blank casing diamete	r	to	ft., Dia	in. to		ft., Dia		in. to ft.
Casing height above	land surface	in	weight		lbs	s./ft. Wall thickness	or gauge N	SCH40
	OR PERFORATION M			7 PV			sbestos-ceme	
1 Steel	3 Stainless ste	eel 5	Fiberglass	8 RM	P (SR)	11 O	ther (specify)	
2 Brass	4 Galvanized	steel 6	Concrete tile	9 AB	3		one used (op	
CREEN OR PERFO	RATION OPENINGS	ARE:	5 Gauz	ed wrapped		8 Saw cut		11 None (open hole)
1 Continuous sl	ot 3 Mill s	slot	6 Wire	wrapped		9 Drilled holes	;	
2 Louvered shu	tter 4 Key p	punched	7 Torch	cut		10 Other (spec	ify)	
SCREEN-PERFORAT	ED INTERVALS:	From 82	ft. to .	112	ft., Fr	om	, ft. to	o
								o
GRAVEL PA								o
		From	ft. to		ft., Fr	om	ft. te	o ft.
GROUT MATERIA			Cement grout	3 Bento	nite	4 Other		
Grout Intervals: Fro	om0 , , , , , ft.	to 7.7	ft., From	ft. 1	0	ft., From .		ft. to
Vhat is the nearest s	ource of possible con	ntamination:			10 Live	estock pens	14 A	pandoned water well
 Septic tank 	4 Lateral li	ines	7 Pit privy		11 Fue	el storage	15 O	il well/Gas well
2 Sewer lines	2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage			ther (specify below)
3 Watertight set	ver lines 6 Seepage	pit pit	9 Feedyard			ecticide storage	Landfi	L 1
Direction from well?	South				How m	any feet? 150		
FROM TO		LITHOLOGIC LO	G	FROM	ТО	F	PLUGGING II	NTERVALS
0 2	Top Soil							
2 8	Luss							
8 12	Sandy Clay							
12 25	Cemented S	and & Clic	he	.				
25 29	Loose Sand	& Gravel						
29 35	Clay & Cli	che & Litt	le Sandstone					
35 37	Sand & Gra	vel						
37 42	Sandy Clay	& Sandston	ne					
42 56	Sand & Gra	vel & Litt	le Sandstone			•		
56 63	Sandy Clay	& Cliche	& Little San	dstone				
63 64	Sand & Gra	vel						
64 93	Sandstone	& Streaked	Clay & Litt	le Sand				
93 104			& Streaked C					
104 112	Sandstone							
112 114	1							
l	•			as (1) construc				er my jurisdiction and was
ompleted on (mo/day	//year) 9-22-97	- Line Control						er my junsdiction and was owledge and belief. Kansas
	's License No473							micage and belief, ransas
nder the business na			THE THEORY		by (sign			
		PLEASE DRESS EIRM	I V and PRINT closely Dis	ace fill in blanks			Sand ton	copies to Kansas Department
of Health and Environr	ment, Bureau of Water, Tope	eka, Karisas 66620-00	01. Telephone: 913-296-5	545. Send one to V	VATER WELL	OWNER and retain one	for your records	opies to Nansas Department