WATER WELL RECORD			Form WWC-	5	Divisio	Division of Water Resources; App. No. 0047887  Section Number   Township Number   Range Number				
1 LOC	ATION O	F WATER WELL:	Fraction		Section I	lumber	I DWIISHIP HUMBOCI	Range Humber		
	ty: Scott	NW 1/4	SW 1/4 NW 1/4 S		19		T 18 S	R 32 E/W		
		ection from nearest town or cit	street address of well if		Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 38.473158					
locate	located within city? 1310 S. Main					Longitude: 100.905814				
2 WA	2 WATER WELL OWNER: Presto #1					Elevation: 2958.15' TOC				
	St. Addre	SS, BOX # :	root		Datum:			***************************************		
Scott City KS					Data Collection Method:					
	3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL						ft.			
	OCATION									
	WITH AN "X" IN Depth(s) Groundwater Encountered (1)									
SEC	ECTION BOX: WELL'S STATIC WATER LEVEL 131.17									
	Est. Yieldgpm: Well water was									
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
w NV	V   NE -	F 1 Domestic 3 Feed	dlot 6 Oil field	water st	upply	9 Dev	watering 12 Ot	her (Specify below)		
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							4W-4		
X-SW	X-SWSE									
	was a chemical/dacteriological sample submitted to Department? Yes No									
Sample was submitted										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped										
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded										
2 PVC   4 ABS   7 Fiberglass   Threaded   Threaded										
Casing height above land surface0.75 in., Weight lbs./ft. Wall thickness or guage No. Schedule.40										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)										
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 0.01" 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 120 ft. to 150 ft., From ft. to										
From										
GRAVEL PACK INTERVALS: From 118										
From ft. to ft., From ft. to ft.										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other										
Grout Intervals: From 0										
What is the nearest source of possible contamination:										
								16 Other (specify		
2 Sewer lines 5 Cess pool 8 Sewage-lagoon 11 Fuel storage 14 Abandoned water well below)							below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well  Direction from well? How many feet?										
FROM	TO	LITHOLOGIC		FRON		T	PLUGGING INT			
0	0.25	Gravel	LOG	128	138	CALIC	~~~~	LICTURE		
0.25	26	SILT	•	138	150	SAND				
26	32	SAND								
32	48	Silty CLAY								
48	58	SAND		ļ						
58 65	65 74	SAND		ļ		ļ				
74	90	Silty CLAY		-						
90	98	SAND	•	<del> </del>						
98	128	Silty CLAY		<del> </del>	-		· · · · · · · · · · · · · · · · · · ·			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief										
Kansas Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/year)										
under the business name of Woofter Pump & Well  INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top										
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone										
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at										
http://www.kdhe.state.ks.us/geo/waterwells.										