


1 LOCATION OF WATER WELL: County: Scott Fraction: NE 1/4 SE 1/4 SE 1/4 Section Number: 17 Township Number: T 18 S Range Number: R 32 EW

Distance and direction from nearest town or city street address of well if located within city?  
2 miles East of Highway 83+96 intersection N1000' Lot 25 Pitman Tract

2 WATER WELL OWNER: Elmer Erskin  
 RR#, St. Address, Box #: 1107 Church  
 City, State, ZIP Code: SCOTT City, KS. 67871  
 Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 160 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 109 ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL 109 ft. below land surface measured on mo/day/yr 12-11-91  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield 15 gpm; Well water was ft. after hours pumping gpm  
 Bore Hole Diameter 9 1/2 in. to 160 ft., and in. to  
 WELL WATER TO BE USED AS:  
 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering (12) Other (Specify below) shop  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped  
 (2) PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
 7 Fiberglass Threaded  
 Blank casing diameter 5 in. to 140 ft., Dia in. to ft., Dia in. to  
 Casing height above land surface 12 in., weight lbs./ft. Wall thickness or gauge No. 200 PSI  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)  
 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped (8) Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 140 ft. to 160 ft., From ft. to  
 From ft. to ft., From ft. to  
 GRAVEL PACK INTERVALS: From 26 ft. to 160 ft., From ft. to  
 From ft. to ft., From ft. to

6 GROUT MATERIAL: 1 Neat cement (2) Cement grout 3 Bentonite 4 Other  
 Grout Intervals: From 6 ft. to 26 ft., From ft. to ft., From ft. to  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 (3) Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 9 Insecticide storage  
 Direction from well? East How many feet? 12

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5	Soil	141	145	clay
5	20	Clay	145	150	med sand
20	25	gyp rock	150	160	yellow clay
25	42	Fine sand	160		shale
42	45	Clay			
50	65	med sand			
65	70	gyp rock			
70	75	sandy clay			
75	85	med sand			
85	90	sandy clay			
90	100	med sand			
100	105	gyp rock			
105	110	sandy clay			
110	140	Fine sand			
140	141	gyp rock			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12-11-91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 547 This Water Well Record was completed on (mo/day/yr) 12-18-91 under the business name of Abraham Well Service by (signature) John F. Whinery

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.