| | | WATER ' | WELL RECORD | Form WWC-5 | KSA 82a-12 | 12 | | | |
|--|--|--|--|---|--|---------------------------------|---|-----------------------------|--|
| ILOCATION OF WATER WELL | Fraction | 1/4 | NE 1/4 SW | l l | Number 4 | Township N | Number S | Range Number | |
| Distance and direction from near | | 74 | 3,325 | Street address | | ated within cit | | | |
| WATER WELL OWNER: | James Krehb | | | 1 1611 1 | <u>ii llsi de</u> | Drive | | | |
| | 1211 Hillsi | | e and | | | Board of | Agriculture 1 | Division of Water Resources | |
| | Scott City, | | | | | | n Number: | Division of Water Hesources | |
| DEPTH OF COMPLETED WE | | | | 9 in to | 195 | | | in to ft | |
| Nell Water to be used as: | 5 Public w | | | 8 Air condition | | | njection well | | |
| 1 Domestic 3 Feedlot 6 Oil field water | | | | 12 Other (Specify below) | | | | | |
| 2 Irrigation 4 Industrial | (7 Lawn an | Management of the state of the | Printed Company of the Company of th | 9 Dewatering10 Observation | well | | | , | |
| Well's static water level 105 | Mary Commence of the Commence | Market Comments of the Comment | and the substitute of the subs | | month | 3.1 | | lay1980year | |
| Pump Test Data MA Est. Yield gpm | | | ft. after ft. after | | | ours pumping. ours pumping | | | |
| 4 TYPE OF BLANK CASING U | SED: | 5 | Wrought iron | 8 Concrete | tile | Casing | Joints: Glued | Clamped | |
| 1 Steel 3 RI | MP (SR) | 6 | Asbestos-Cement | 9 Other (sp | pecify below) | | Welded | | |
| 2 PVC 4 AI | 3S | 7 | ⁷ Fiberglass | | | | | aded | |
| Blank casing dia 5 | in. to178 | 5 | ft., Dia | in. to . | | ft., Dia | | . in. to ft. | |
| Casing height above land surface | ə | 2 | in., weight | 1.8 | · · · · · Ibs./ft. | Wall thicknes | s or gauge N | vo250 | |
| TYPE OF SCREEN OR PERFORATION MATERIAL: | | AL: | 7 PVC | | 10 Asbestos-cement | | | ent | |
| 1 Steel 3 Stainless steel | | Ę | 5 Fiberglass 8 RMP | | SR) | 11 Ot | her (specify) | er (specify) | |
| | alvanized steel | ϵ | 6 Concrete tile | 9 ABS | شسد | 12 No | one used (op | en hole) | |
| creen or Perforation Openings Are: | | | 5 Gauzed wrapped | | The same | (8 Saw cut) 11 None (open hole) | | | |
| 1 Continuous slot | | | 6 Wire wrapped | | 9 Drilled holes | | | | |
| 2 Louvered shutter | 4 Key punched | | 7 Torch cut | | 10 Other (specify) | | | | |
| Screen-Perforation Dia 5 | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | tt. | |
| | | -160 - | | | | | | | |
| The same of the sa | rom | | ft. to | | From | A 10 PS | ft. to | ft, | |
| | Neat cement | | Cement grout | 3 Bentonite | | | <u></u> | S | |
| Grouted Intervals: From 15 . | | | π., From | .() | | | | | |
| What is the nearest source of po | F Cess pool | ion. | 7 Cowago las | , oon | 10 Fuel sto | • | | bandoned water well | |
| The second secon | A STATE OF THE STA | | 7 Sewage lagoon | | 11 Fertilizer storage12 Insecticide storage | | 15 Oil well/Gas well 16 Other (specify below) | | |
| A STATE OF THE PROPERTY OF THE | Annual State of Control of Contro | | 8 Feed yard 9 Livestock pens | | 13 Watertight sewer lines | | , , , , , , | | |
| Direction from well Sout | | How m | | | | | | No | |
| Was a chemical/bacteriological s | | | | | | | | | |
| was submitted | month | | dav | vear: Pur | no Installed? | (Yes) | | No | |
| If Yes: Pump Manufacturer's nar | ne | den | | Model No | | HP | • | Volts | |
| Depth of Pump Intake | | | ft. | Pumps Capacit | y rated at | 4 | . | gal./min. | |
| Type of pump: 1.5 | Submersible | 2 T | urbine | 3 Jet | | | Reciprocatin | | |
| 6 CONTRACTOR'S OR LANDO | OWNER'S CERTIF | FICATIO | N: This water well | was (1) constructe | | | | | |
| completed on | 8 | | month 5 | | . dav | 1980 | | vear | |
| and this record is true to the bes | | | | | | | | - | |
| This Water Well Record was cor | | | | | | | | year under the business | |
| name of Weishaar Dril | ling & Supp | ly In | 0 | by (signature) (| TROUGH | - Man | More |) | |
| 7 LOCATE WELL'S LOCATION | | o" | LITHOLO | GIC LOG | FROM | то/ | يري | THOLOGIC LOG | |
| WITH AN "X" IN SECTION BOX: | L0- | 42 | Clay | | 42 | | Sand | | |
| | 58 | 75 | Clay | | 75 | 96 | Sand | | |
| N | 1 | 100 | Gyp_rock | | 100 | 105 | Clay | | |
| NW NF | 105 | 118 | Gyp rock | | 118 | 125 | Clay | | |
| | 125 | 143 | Sand | | 143 | 157 | | | |
| ₩ | 157 | 166 | Fine sand | | 166 | I . | Sand r | | |
| SW SE | 170 | 172 | _Sand | | 172 | 175 | | emented | |
| | 175 | 180 | Sand & grav | | 180 | I | Sand r | | |
| The bondarias name concerns and bondarias concerns and control of the control of | 183 | 187 | Sand & grav | | 187 | 192 | Sandy | clay | |
| ELEVATION: | 192 | 195 | Yellow clay | | | - | | | |
| ELEVATION: | | | | | | | | | |
| Depth(s) Groundwater Encounte INSTRUCTIONS: Use typewriter | | | | | | | | neet if needed) | |
| copies to Kansas Department of I retain one for your records. | Health and Environ | ment, Di | vision of Environmen | t, Water Well Contr | actors, Topel | a, KS 66620. | Send one to \ | WATER WELL OWNER and | |