CORRECTION(S) TO WATER WELL RECORD (WWC-5)

<u> </u>

ring
tos
008
<u> </u>

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

			WATER	WELL RECO	RD Form V	/WC-5 KSA 82	?a-1212			
1 LOCA	TION OF W	ATER WELL:	Fraction			Section Number			Range Nu	mber
	Wichita		SE 1/4	SINE 1/4	SE ¼	7	T 18	s	R 35	E/W)
		on from nearest tow		ddress of well i	f located with	n city?				
		rienthal, Kansas								
2 WATE	R WELL C	WNER: Scott Coo P.O. Box	p Association							
RR#, St. /	Address, B		330 y, Kansas 67871				Board of Agricultu	ure, Divisio	on of Water Re	esources
City, State	e, ZIP Code	e :	y, ixansas 0707 i				Application Numb	er:		
3 LOCA	TE WELL'S	LOCATION 4	DEPTH OF CO	MPLETED WEI	LL142	ft. ELE	VATION:	322	0.02	
WITH .	AN"X" IN S	SECTION BOX:	J Depth(s) Groundw	ater Encounter	red 1	ft	t. 2	ft. 3.		f
T		\ <u>\</u>	VELL'S STATIC I	VATER LEVEL		ft. below land s	surface measured on i	mo/day/yr		
T							afterh			
	NW	NE E	Est. Yield . NA gpm: Well water was ft. after hours pumping gpm							
o l							and			
W Mile		1 1-1					8 Air conditioning		ection well	
-			1 Domestic	3 Feedlot		i water supply	-		her (Specify b	nelow)
1	SW SE	SE	2 Irrigation				10 Monitoring well			
		v					nt? YesNo			
y L			ubmitted	g.		•	ater Well Disinfected?	•	No	1
c) TVDE	OF BLANK	CASING USED:		Wrought iron	8 (Concrete tile	CASING JOINT	S: Glued	Clampi	_ ▼ ed .
٧,		3 RMP (SR)		Asbestos-Ce		Other (specify bel				
1 S		4 ABS		Fiberglass		· · ·			ed. 	
_ (2)°	VC :						ft., Dia			
							/ft. Wall thickness or			
_	-			i., weight						2 u
		OR PERFORATION		F 11			10 Asbest			
1 S		3 Stainless s				RMP (SR)	11 Other (• • • • • •
	rass	4 Galvanized		Concrete tile	_	ABS	12 None u		•	
		PRATION OPENING			Gauzed wrapp		8 Saw cut 9 Drilled holes	1	1 None (oper	i noie)
	Continuous	\ <i>\</i>			Wire wrapped					
	ouvered sh	•	•		Torch cut	(2 6 5	10 Other (specify) . rom			
SCREEN-	PERFORA	TED INTERVALS:					om			
,		ACK INTERVALS:					om			
(JRAVEL PA	ACK INTERVALS.					om			
	T MATERIA			Cement grout			Other			
				ft., From .	154.5		5 ft, From			
		source of possible c					·		ndoned water	weli
	tic tank	4 Lateral		7 Pit priv	-		storage	_	vell/Gas well	
2 Sewer lines 5 Cess pool				8 Sewag	-		ilizer storage		er (specify bel	
	ertight sew		ge pit	9 Feedya	ard		cticide storage	For	mer UST Ba	asin
	from well?	West	7.1713/31/3/3/3/3/3	V			ny feet? 50	יי או לאוצי	EDATAT C	
FROM	10		LITHOLOGIC LC	<u></u>	FRC	M 10	PLUG	GING IN II	EKVALO	
0	0.5	Asphalt,								
0.5	18	Clay, Brown								
18	29	Clay, Light Bro								····
29	33	Caliche, Off W	hite							
33	46	Sand, Brown								
46	63	Sand, Brown								
63	72	Caliche, Off W	hite							
72	82	Clay, Brown								
82	115	Sand, Brown								
115	120	Sand, Brown								
120	144	Sand, Brown				1				
		<u> </u>								

AS6, Tag # 00295587, Flushmount

Project Name: Greenfield - Scott Cooperative Association

GeoCore # 831, KDHE # U1 102 0802

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction
and was completed on (mo/day/year) 3/14/00 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 527. This Water Well Record was completed on mo/day/yr) 4/21/00 ...

GeoCore Services, Inc.

under the business name of

×

×

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

by (signature)