## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

, , , , , , , , , , , , , , , , , , , ,	County Fraction		Section number		Township number	Range number		
1. Location of well:	Wichita	SE 1/4 SE 1/4 SE	1/4		13	т 18 з	R 36	**
	ection from nearest town or city:	ner of well: Ks. Dept. of Transportation						
East of Leoti on Highway 96 R.R. or street: St						ate Office Bldg		
City, state, zip co  4. Locate with "X" in section below:  Sketch map:					code:	Topeka, Kansas		
4. Locate with "X" in section below:  Sketch map:						Well depth 131.5t.	9-15-76	
Shelter drainge &				Rest Rooms		7 Cable toolXRotary		
Shelter orainage  NE NW NE NE Shelter orainage  Old Well  200't						8. Use: Domestic X Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other		
sw	3t   	x-way						
Y		Drive		Щ.		Threaded Welded RMP PVCX	ISurfaceIO Weight	in. .lbs./ft.
1 M	Aile —————	P	7		_)	Dia6 in. to 95 ft. de	pth Wall Thickness: inch	
5. Type and color of	fmaterial W/ <b># with</b>	•	•	From	То	Dia in. to ft. de 10. Screen: Manufacturer's		=
Silt tan w/limy zonos					10			
Silt tan w/limy zones				0	18	Type PVC		
Silty clay				18	20	Slot/gauze95	Length _ft. and	ft.
© 26' cemented Sand, tan quartz medium grain sand				20	32	ft.	and	5_3/9
						Gravel pack?X Size re		day/yr.
Mortar bed				32	38	ft. below land su		
Silt tan buff w/limy zones				38	53	12. Pumping level below lar		
•						ft. after	hrs. pumping	g.p.m.
Camented sand				53	71	Estimated maximum yield —	10	g.p.m.
Silt tan buff w/limy zones				71	80	13. Water sample submitted:	mo./c	day/yr.
Silt yellow-tan				80	85	Yes Y No  14. Well head completion:	Date	
Sand silty				0.5		Pitless adapter	Inches above gr	rade
Sand Sircy				85	93	15. Well grouted?X With: Neat cement	V .	
Sand, coarse				93	95	Depth: From ft. to		oncrete   -
Shale, chalky, weathered, orange				95	1111	16. Negrest source of possib		
						ft. <u>ZUU</u> Direction Well disinfected upon compl		ige_ ∾
Shale chalky dark brown silty				111	121	17. Pump:	X Not installed	
Shale chalky gray brown				121	131	Manufacturer's name		I I
Total depth				131		Model number	HP Volts ft. capacityg	
10001 001	<u> </u>					Туре:		,,,,,,,
	W. 18182					Submersible Jet	Turbine	ating
(Use a second sheet if needed)						Centrifugal	Other	aring S
18. Elevation: 19. Remarks:						20. Water well contractor's		
3192± The park is located in small valley on						This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
high plains. Concrete slab <b>t</b> o be installed by Maint. Dept Hand pump to be installed.						ks Dept. of Transportation		
Hill Slope					· · ·	Business name Address Topeka Kansas License No.		
Upland						Signal W. For Le 19-15-76		
X Valley						Authorized rep	resentative Date —	- <u>-</u>   <u>-</u> - <u>k</u>