## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number	Range number	
1. Location of well:	Wichita	NW 1/4 NW 1/4 SW	1/4	14	4	T 18 S	R 36 E4	<b>Ø</b>
2. Distance and direction from nearest town or city: 20W, $\frac{1}{2}$ N of 3. Owner					l:	M. O. Nuss		
Street address of well location if in city: Scott City, KS				or street: state, zip code:		Great Bend, KS 67530		
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 24 in.	Completion date	_]
X well						Well depth 140 ft.  7 Cable tool _ Rotary		=-
							Bored X_Reverse rot	ary
* Well    W   W   W   W   W   W   W   W   W						8. Use: Domestic Public supply industry X Irrigation Air conditioning Stock Lawn Oil field water Other		
sw   se						9. Casing: Material Stee	Height: Above or below	
FeedLat						Threaded WeldedX   Surface in .  RMP PVC Weight 17.5 lbs./ft .  Dia 12in. to 140 ft . depth   Wall Thickness: inches or		
5. Type and color of material				From	То	Dia. <u>16</u> in. to <u>170</u> ft. dep Dia in. to ft. dep	1 771	_
						10. Screen: Manufacturer's n	ame	
Clay				0	10	Free Flo		
Sd coarse				10	,	Slot gauze179	_ Length30 ft.	
				10	45	ft. o		ft.
Sd rock				25	38		nge of material 3/4-‡	_
Clay				38	45	11. Static water level:73ft. below land sur	mo./day/ face Date <u>10-17-7</u>	
Sd rock				45	51	12 Sumping level below land	surfaces: 260	
Clay				51	58	104 ft. after 4	ers. pumping 275 g.p.	m.
Sd coarse				58	65	Estimated maximum yield	mo./day/	_
Fine sd clay				65	68	Yes X No 14) Well head completion:	Date	┥
Sd. rock				68	72	Pitless adapter	/2 Inches above grade	┥.
Clay				72	90	(5.) Well grouted?	Beptonite Concre	"   <u> </u>
						Depth: From ft. to .	Food	-  Î∘
Fine sd clay				77	108	16. Negrest source of possible ft. 2640 Direction	contamination:	_  `
Clay				108	112	Well disinfected upon comple	tion? X Yes	No h
Sd coarse				112	118		Not installed	<u>,</u>   ~   <u>~</u>
Fine sd clay				118	125	Model number UH66LL34  Length of drop pipe 131	HP 10 Vol <del>s 16</del> 0 ft. capacity 275 g.p.r	
Clay sdy				125	137	Type: _X_Submersible	Turbine	
					-51	Jet	Reciprocating	
Clay ye		heet if needed)		137	142	Centrifugal	Other	$\dashv_{i} \mathscr{W}$
18. Elevation:	19. Remarks: Shale			142	145	20. Water well contractor's of This well was drilled under my		
Topography:						is true to the best of my know	_ *	< No.
HIII						Weishaar Dril Business name	License N	<u></u>
Slope						Address Sent to	y, KS 67871	- \$ \$
Upland Valley						Authorized epi	resentative 7-19-76	]
Forward the white, blu	ve and pink copies to the Department	of Health and Environment					Form WWC-\$	Š