

	WELL R		WWC-5 1244	DI	vision of Wate			
Original Record Correction Change I LOCATION OF WATER WELL:					sources App. N			
County:				Section Numb			$\begin{array}{c} \text{R} \\ \text{R} \\ \text{E} \\ \text{W} \end{array}$	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
					rection from nearest town or intersection): If at owner's address, check here:			
Address:								
Address: City:		State:	ZIP:					
3 LOCAT	E WELL							
WITH "X" IN 4 DEPTH OF CO			IPLETED WELL: Encountered:1)ft.					
SECTIO		2) ft.			Longitude:(decimal degrees) Datum: 🗌 WGS 84 🔄 NAD 83 📄 NAD 27 Source for Latitude/Longitude:			
N	1	WELL'S STATIC WA						
		below land surface		□ GPS (unit make/model:) (WAAS enabled? □ Yes □ No) □ Land Survey □ Topographic Map				
- <u>.</u> NW X	NE	above land surface						
		Pump test data: Well w						
E E		after hours		Online Mapper:				
SW	SE	Well water was ft. after hours pumping gpm						
		Estimated Yield:gpm			6 Elevation:ft. Ground Level TOC			
	5	Bore Hole Diameter:	ft. and	Source: Land Survey GPS Topographic Map				
1 n		in. to ft.			□ Other			
7 WELL WATER TO BE USED AS:								
1. Domestic:		5. 🗌 Public Wa						
☐ Houser		6. 🗌 Dewaterin 7. 🗖 Aquifer R						
	Lawn & Garden7. Aquifer Recharge: well IDLivestock8. Monitoring: well ID							
2. 🗌 Irrigati								
3. 🗌 Feedlo	t	e 🗌 Soil Vapor Extraction		b) Op	b) Open Loop 🗌 Surface Discharge 📋 Inj. of Water			
4. 🗌 Industr	ial	Recovery	□ Injection		13. 🗌 Ot	her (specify):		
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? Yes No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No								
Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)								
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. 9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Other								
Grout Intervals: From								
		e contamination:		10.10.11111				
Septic '	Fank -	🗌 Lateral Line			Livestock Pe		cide Storage	
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well								
	ght Sewer Lii	nes 🗌 Seepage Pit	☐ Feedyard		Fertilizer Sto	rage 🗌 Oil We	ell/Gas Well	
Direction from well? ft.								
10 FROM	TO	LITHOLO		FROM			r PLUGGING INTERVALS	
				Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)								
under the b	usiness name	Send one conv to WATER W	ELLOWNER and retain o	one for your re	 cords. Fee of \$5	00 for each constructed w	ell	
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								