WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number	Range number		7
1. Location of well:	Wichita	NW 1/4 NW 1/4 NW	1/4	13		т 18 s	R 37	E N	<u> </u>
2. Distance and direction from nearest town or city: In Leoti, Kansas				ner of well	:]	Leland Duncan			1
Street address of well location if in city:				street: tate, zip (ode:]	Leoti, KS 67861			
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 9 in. Completion date			
ī V i '	· · · · · · · · · · · · · · · · · · ·	Xwell				Well depth 180 ft. 7 Cable tool X Rotary			-
	NE	Xwell 1				Hollow rod Jetted			ا
W 1 1 1 1 1 1 1 1 1						8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock			
<u> </u>		V				Lawn Oi	l field water	Other	
sw	501	res Line				9. Casing: Material Plas Threaded Welded Glu		below :	
S	Gentle Gentle	, exce				RMP_X PVC	_Weight		.]
5. Type and color of material				From	То	Dia. 5 in. to 160 ft. depth Wall Thickness: inches or Dia. in. to ft. depth gage No. 250			
or type and color or						10. Screen: Manufacturer's n Jess & Lo	ame		.]
Clay				0	19	TypeRMP	Dig. 5 1r	• •	
Сур Н				19	27	1/2	_ Length20 ft. and18	ft.	:
Sd coarse	. т			27	3/1	ft. a	nd	<u>74−1.78</u> ft.	-
					77	11. Static water level:		no./day/yr.	.†
Sd rock	H			34	39	125 ft. below land sur		22-76	4
Сур				39		12. Pumping level below land 135 ft. after 1 h	rs. pumping1		
Fine sd clay				55	67	ft. after hrs. pumping g.p.m. Estimated maximum yield 10 g.p.m.			
Sd rock				67	78	13. Water sample submitted: mo./day/yr.			
Fine sd clay				78	96	Yes X No Date 14. Well head completion:			
Sd rock	Н			96		X Pitless adapter	2 Inches abo	ve grade	4
						15. Well grouted? <u>Ves</u> With: X Neat cement Depth: From ft. to .	Bentonite	_ Concrete	
Fine sd c				102				ewer	<u> </u>
Sd coarse				134	146	ft. 100 Direction S Type Line			
Fine sd c	lay			146	150	Well disinfected upon comple 17. Pump:	Not installe	No	4 Ku
Clay				150	167	Manufacturer's name	oulds	_	1"1
Sd coarse				167	178	Model number <u>F.I</u> HP <u>1</u> Volts <u>220</u> Length of drop pipe <u>173</u> ft. capacity <u>10</u> g.p.m.			
Clay yellow				178	180	Type: X Submersible	Turb	ine	`
		:fd-d\		-, 5		Jet	Reci	procating	I.L
18. Elevation:	(Use a second st	eer IT needed)				Centrifugal 20. Water well contractor's c	Other	or	I W
						This well was drilled under my	jurisdiction and t	his report	'
Topography:						is true to the best of my knowledge Weishaar Drit		232	212
Hill Slope						Business name Address	v. KS 67	icense No. 871	312
Upland Valley						Signed Aufhortzed repr	de de de	0-76	3,5
	ue and pink copies to the Department	of Health and Environment				7		wc- s	1219