

USE TYPEWRITER OR BALL  
POINT PEN-PRESS FIRMLY,  
PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and  
Environment-Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

1. Location of well:	County Wichita	Fraction SE 1/4 NW 1/4 NW 1/4	Section number 24	Township number T 18	Range number S R 38	W
2. Distance and direction from nearest town or city: Street address of well location if in city:	5 3/4 W, 1/4 S of Leoti, KS		3. Owner of well: R.R. or street: City, state, zip code:	Virginia Casteen 3921 Claremont St. Bakersfield, California 93306		
4. Locate with "X" in section below: Sketch map:			6. Bore hole dia. 26 in. Completion date 11-13-74 Well depth 156 ft.			
			7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary			
5. Type and color of material	From	To	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
Clay	0	27	9. Casing: Material <input checked="" type="checkbox"/> Steel Height Above surface 10 in. Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 10 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 31.67 lbs./ft. Dia. 16 in. to 156 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 188			
Fine sd clay	27	32	10. Screen: Manufacturer's name Free Flow Type <input checked="" type="checkbox"/> Prime Steel Dia. 16 in. Slot gauze .125 Length 30 ft. Set between 126 ft. and 156 ft. ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Yes Size range of material 1 1/2 - 5/8 - 1			
Rock	32	33	11. Static water level: 105 mo./day/yr. ft. below land surface Date 9-19-74			
Fine sd clay	33	41	12. Pumping level below land surfaces: 132 ft. after 4 hrs. pumping 420 g.p.m. 156 ft. after 4 hrs. pumping 440 g.p.m. Estimated maximum yield 440 g.p.m.			
Sd coarse	41	48	13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No Date			
Sd rock	48	53	14. Well head completion: Pitless adapter 12 inches above grade			
Fine sd clay	53	59	15. Well grouted? <input checked="" type="checkbox"/> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.			
Sd rock	59	65	16. Nearest source of possible contamination: ft. 1320 Direction N Type Septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Clay	65	79	17. Pump: Manufacturer's name Goulds Model number 40 HP 460 Volt Length of drop pipe 148 ft. capacity 440 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
Fine sd clay	79	110	18. Elevation:	19. Remarks:  (Use a second sheet if needed)	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Weishaar Drilling 232 Business name <input checked="" type="checkbox"/> Address Scott City, KS 67821 Signed <input checked="" type="checkbox"/> Authorized representative <input type="checkbox"/> Date 7-17-76	
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley						