WATER WELL RECORD		Form V	VWC-5	Division of W	ater Resources; App. No.	
1 LOCATION OF WATER WELL:		Fraction		Section Numbe	Township Number	
		NW 1/4 SW		23	T 18 S	R 4 WW
Distance and direction from nearest town or cit				1	ing Systems (decimal de	grees, min. of 4 digits)
located within city? 4 miles West & 7 miles South				Latitude:		
of Lindsborg, Ks.			Longitude:			
2 WATER WELL OWNER: Andrew James RR#, St. Address, Box # : 2023 9th Ave				Elevation: _		
			7460	Datum:	N 6 . 1 1	
Met net Bon, RS. 07400 Data Contection Method.						
3 LOCATE WELL'S	4 DEPTH OF COM	PLETED WE	LL4.	!	π.	
LOCATION WITH AN "X" IN	Depth(s) Groundwater	r Encountered	(1)	ft (2)	ft (3)	ft.
SECTION BOX:				ace measured on mo/day		
N		Well water wasft. after hours pumping gpm				
	Est. Yield. 5060 gpn	ft. after	hours pumping.	gpm		
NW NE	WELL WATER TO B	BE USED AS:	5 Public water	supply 8 A	ir conditioning 11 Inj	ection well
W						her (Specify below)
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well stock						
Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs						
Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs Sample was submitted						
Sample was submitted						
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: GluedX Clamped						
	P (SR) 6 Asbestos	-Cement	9 Other (specif	y below)	Welded	Clamped
XPVC 4 ABS	7 Fiberglas	s	outer (speen		Threaded	
XPVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 5 in. to 151 ft., Diameter 5 in. to 171-191. ft., Diameter in. to ft.						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless Steel 5 Fiberglass XPVC 9 ABS 11 Other (Specify)						
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot X Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From21						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout X Bentonite 4 Other						
Grout Intervals: From 0						
What is the nearest source of possible contamination: None within 1/4 mile.						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)						′
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well?						
FROM TO	LITHOLOGIC		FRO		PLUGGING INT	
	osoil	LOG	TRO	VI 10	I LOGGING INT	ERVALS
	ay, tan					
	nd, fine				0.40	
	nd, medium to	coarse				
	ay, tan/sandy					
	nd, medium to					
	ay, tan					
161 165 Sa	nd, medium					
	ay, gray					
205 220 Sand, fine to medium						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (2) reconstructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . 6./.25/.08 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 1.38 This Water Well Record was completed on (mo/dzy/year) . 6/26/08						
under the business name of Peterson Irrigation, Inc. by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top						
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone						
785-296-5522. Send one http://www.kdheks.gov/waterw		NEK and retain	one for your	records. Fee of	\$5.00 for each constructed	a well. Visit us at