WATE	R WELI	RECORD	Form WWC	C -5	Division of Wate	r Resources; App. No.		
		F WATER WELL: Pherson	Fraction SW 1/4 SE 1/4 S	SW 1/4	Section Number 24	Township Number T 18 S	Range Number	
Dista	nce and di	rection from nearest town or ci	ty street address of v	well if	Global Positioning	Systems (decimal deg		
locate	ed within o	ity? 7 miles South 8	Latitude:					
		West of Linds	Longitude:					
2 WA	TER WEI	LOWNER: CMX, Inc	Elevation:					
City	, St. Addre State 711	ss, Box # : 1551 N. 1		Parkwa				
City, State, ZIP Code : Wichita, Ks. 67206 Data Collection Method: 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 110 ft.								
	ATE WE	LL'S 4 DEPTH OF COMI	PLETED WELL	1.1.9	tt.			
1	LOCATION WITH AN "X" IN Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.							
1	SECTION BOX: WELL'S STATIC WATER LEVEL60ft. below land surface measured on mo/day/yr6/13/08							
N Pump test data: Well water wasft. after hours pumping						gpm		
	Est. Yield. 40-50gpm: Well water was							
NV	WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot & Oil field water supply 9 Dewatering 11 Injection well 12 Other (Specify below)							
E 1 Domestic 3 Feedlot 6X Oil field water supply 9 Dewatering 12 Other (Specify below)								
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
	SW SE Was a chemical/bacteriological sample submitted to Department? Yes No							
	Sample was submitted							
S								
5 TYPI	E OF CAS	ING USED: 5 Wrought	Iron 8 Cor	crete tile	CASIN	G JOINTS: Glued	X Clamped	
	Steel	3 RMP (SR) 6 Asbestos-	Cement 9 Oth	er (specify	below)	Welded		
XPVC 4 ABS 7 Fiberglass								
Blank casing diameter								
Casing height above land surface								
1 Steel 3 Stainless Steel 5 Fiberglass 7XPVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot XMill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From1								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
	Sewer line	5 Cess pool	8 Sewage lagoon	11 Fuel s		oandoned water well	below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well								
		1?						
FROM	ТО	LITHOLOGIC	LOG	FROM	I TO	PLUGGING INT	ERVALS	
0	3	Topsoil						
3	25 75	Clay, brown						
25 75	85	Clay, red Sandy, clay						
85	112	Sand, medium					· · · · · · · · · · · · · · · · · · ·	
		During Initiation						
T CONTROL OTTO DISCORDA AND ON THE PROPERTY OF								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (X) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6/1.7./0.8 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No1.3.8 This Water Well Record was completed on (mo/day/year)6.1.24.1.08								
under th	e business	name of Peterson Ir	rigation. To	nc. h	y (signature)	Walles	······································	
INSTRUC	CTIONS: U	e typewriter or ball point pen. PLEA	SE PRESS FIRMLY and	PRINT clea	rly. Please fill in blank	s, underline or circle the c	orrect answers. Send top	
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								