WATER W	ELL RECORD	Form WW	C-5	Division of Wate	r Resources App. No	o. L	
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township No.	Range Number	
County: Dickinson		NW 1/4 NE 1/4 NW 1	/4 1/4	13	T 16 S	R 04 Z E □W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							
	st town or intersection: If at		Latitude:38.667245° (in decimal degrees)				
3rd and Trapp St.				Longitude: -96.946762° (in decimal degrees)			
Herington, KS 67449				Elevation:			
				Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Chevron EMC RR#, Street Address, Box #: 4800 Furnace Place				Collection Method: GPS unit (Make/Model:)			
C' CL ZID C 1			☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, ZIP Code : Bellaire, TX 77401				Est. Accuracy:			
3 LOCATE WELL							
WITH AN							
SECTION							
N N	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
	Pump test data: Well water was						
	W NE EST. YIELDgpm. Well water wasft. after hours pumping						
W							
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
□ Domestic □ Feedlot □ Oil field water supply □ Dewatering □ Other (Specify below) □ Irrigation □ Industrial □ Domestic-lawn & garden ☑ Monitoring well 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
Was a chemical/bacteriological sample submitted to Department? Yes V No							
S If yes, mo/day/yr sample was submitted							
was submitted: Water well disinfected? Yes No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel PVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From							
From							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☑ Other High Solids Bent. Grout							
Grout Intervals: From .1							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Former Gas Station Direction from well former UST on-site ☐ Distance from well within 150 ft.							
						CONIC DITERVAL	
FROM TO		IIC LUG	FROM 7	TO LITHO. LO	JG (cont.) <u>or</u> PLU	GGING INTERVALS	
0 17'	Silty Clay						
						·····	
ļ							
<u> </u>							
<u> </u>							
0 1'	8" FM						
0 1'	O 1 191						
	w/glygly11 Concrete De	4					
w/2'x2'x1' Concrete Pad							
under my jurisdiction and was completed on (mo/day/year)03/20/2015 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No788 This Water Well Record was completed on (mo/day/year) .03/24/2015							
under the business name of ROBERTS ENV. DRILLING, INC. by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html. Chapter V White Conv. Phys Conv. Pirel. Conv.							
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy							