

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Greely</u>	<u>SW 1/4 SE 1/4 SW 1/4</u>	<u>2</u>	<u>T 18 S</u>	<u>R 40 E/W</u>

Distance and direction from nearest town or city street address of well if located within city?

3 north + 2 1/2 east of Tribune

2 WATER WELL OWNER:	RR#, St. Address, Box #	City, State, ZIP Code	Board of Agriculture, Division of Water Resources
	<u>Bill Byerly</u>	<u>HCR Box 29 Tribune KS 67879</u>	Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL	ELEVATION:
	<u>14.5</u> ft.	<u>9-24-93</u>
	Depth(s) Groundwater Encountered 1. <u>10.2</u> ft. 2. <u>11.5</u> ft. 3. <u>30</u> ft.	
	WELL'S STATIC WATER LEVEL <u>10.2</u> ft. below land surface measured on mo/day/yr	
	Pump test data: Well water was <u>11.5</u> ft. after <u>2</u> hours pumping <u>30</u> gpm	
	Est. Yield <u>30</u> gpm: Well water was <u>11.5</u> ft. after <u>2</u> hours pumping <u>30</u> gpm	
	Bore Hole Diameter <u>8</u> in. to <u>14.5</u> ft., and <u>14.5</u> in. to <u>14.5</u> ft.	
	WELL WATER TO BE USED AS:	
	<input checked="" type="checkbox"/> Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
	Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted	
	Water Well Disinfected? Yes <u>X</u> No <u>X</u>	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped <u>X</u>
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>2 PVC</u>	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter <u>5 1/2</u> in. to <u>12.5</u> ft. Dia			11 Other (specify)
Casing height above land surface <u>2</u> in., weight <u>2.81</u> lbs./ft. Wall thickness or gauge No. <u>26</u>			12 None used (open hole)
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	<u>3 Mill slot</u>	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
SCREEN-PERFORATED INTERVALS:			
From <u>12.5</u> ft. to <u>14.5</u> ft.			
GRAVEL PACK INTERVALS:			
From <u>2.5</u> ft. to <u>14.5</u> ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <u>0</u> ft. to <u>2.5</u> ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well?			How many feet? <u>150</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>14</u>	<u>clay</u>			
<u>14</u>	<u>60</u>	<u>sand</u>			
<u>60</u>	<u>75</u>	<u>cemented sand</u>			
<u>75</u>	<u>85</u>	<u>sand & cement sand strips</u>			
<u>85</u>	<u>92</u>	<u>yellow clay</u>			
<u>92</u>	<u>135</u>	<u>sand & clay strips</u>			
<u>135</u>	<u>145</u>	<u>oatmeal & shale</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>9-24-93</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>213</u> This Water Well Record was completed on (mo/day/yr) <u>10-11-93</u> under the business name of <u>Kemp's Well Service</u> by (signature) <u>George Kemp</u>
