

1 LOCATION OF WATER WELL: County: <u>Greeley</u>	Fraction: <u>NE 1/4 NE 1/4 SE 1/4</u>	Section Number: <u>17</u>	Township Number: <u>T 18 S</u>	Range Number: <u>R 40 E</u>
---	---------------------------------------	---------------------------	--------------------------------	-----------------------------

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: <u>Hank Robertson</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : <u>Tribune Ks 67879</u>	Application Number:
City, State, ZIP Code	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>120</u> ft. ELEVATION: <u>3620</u>
--	--

Depth(s) Groundwater Encountered 93 ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 93 ft. below land surface measured on mo/day/yr 7-19-88

Pump test data: Well water was 115 ft. after 2 hours pumping 12 gpm

Est. Yield 12 gpm: Well water was 120 ft. after 12 hours pumping 12 gpm

Bore Hole Diameter: 8 in. to 120 ft., and 120 in. to 120 ft.

WELL WATER TO BE USED AS:

1 Domestic	<u>3 Feedlot</u>	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Observation well	

Was a chemical/bacteriological sample submitted to Department? Yes X No X; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No X

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>2 PVC</u>	4 ABS	7 Fiberglass	Welded
Blank casing diameter <u>5</u> in. to <u>100</u> ft., Dia			Threaded
Casing height above land surface <u>18</u> in., weight			lbs./ft. Wall thickness or gauge No. <u>200</u>
TYPE OF SCREEN OR PERFORATION MATERIAL:		<u>7 PVC</u>	10 Asbestos-cement
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:			11 Other (specify)
1 Continuous slot	<u>3 Mill slot</u>	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	11 None (open hole)
SCREEN-PERFORATED INTERVALS:		7 Torch cut	9 Drilled holes
From <u>100</u> ft. to <u>120</u> ft., From		10 Other (specify)	
GRAVEL PACK INTERVALS:			
From <u>70</u> ft. to <u>120</u> ft., From			
From			

6 GROUT MATERIAL:	1 Neat cement	<u>2 Cement grout</u>	3 Bentonite	4 Other
Grout Intervals:	From <u>10</u> ft. to <u>30</u> ft., From			
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	<u>10 Livestock pens</u>	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? <u>South</u>			13 Insecticide storage	
			How many feet? <u>200'</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	5	Top Soil			
5	15	Clay			
15	41	Lime & Clay & 6" Sand			
41	45	Lime (Hard)			
45	60	Lime & Sand			
60	75	Lime & Sand & Clay			
75	77	Lime			
77	87	Fine Sand & Clay streaks			
87	90	Clay			
90	99	Cemented Sand			
99	112	Clay			
112	120	Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>8-15-88</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>473</u> This Water Well Record was completed on (mo/day/yr) <u>8-15-88</u> under the business name of <u>Tyler Water Well Serv</u> by (signature) <u>Ruth S. S.</u>
---

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.