


400 W. Lawrence

3. LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4. DEPTH OF COMPLETED WELL: 114 ft. ELEVATION: _____

Depth(s) Groundwater Encountered 1. 103 ft. 2. _____ ft. 3. _____ ft.

5 TYPE OF BLANK CASING USED:		3 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped	
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded	
2 PVC	4 ABS	7 Fiberglass		Threaded X	
Blank casing diameter 2 in. to 94 ft., Dia.	 in. to ft., Dia.	 in. to ft.	
Casing height above land surface 0 in., weight lbs./ft.		Wall thickness or gauge No. Schd. 40			
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement	
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)	
			9 ABS	12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)	
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes		
		7 Torch cut	10 Other (specify)		
SCREEN-PERFORATED INTERVALS:					
	From 114 ft. to 94 ft., From ft. to ft.				
	From ft. to ft., From ft. to ft.				
GRAVEL PACK INTERVALS:					
	From 114 ft. to 91 ft., From ft. to ft.				
	From ft. to ft., From ft. to ft.				

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From 91 ft. to 88 ft. From 88 ft. to 0 ft. From ft. to ft.
What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
13 Insecticide storage
Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5	Silty Clay, Dk. Brn, Lean	95	100	Sand-Tan, Fn-Med. Gr. Sl. Moist
5	20	Silty Clay, Lt. Brn., Lean	100	105	Sand, Tan, Fn-Med. Gr. Moist
20	25	Sand, Red Brn, Med. Gr. Sl. Moist	105	110	Sand, Tan, Med-Lg. Gr. Saturated
25	30	Sand, Red Brn, Med-Lg. Gr. Sl. Moist	Some Gravel		
30	35	Sand, Lt. Red. Brn. Fn-Med. Gr. Sl. Moist	Caliche		
35	40	Sand, Lt. Red, Fn-Lg. Gr. Sl. Moist	110	115	Sand, Tan, Med-Lg. Gr. Saturated
40	45	Sand, Tan, Med-Lg. Gr. Sl. Moist			
45	50	Sand, Tan, Med-Lg. Gr, Sl, Moist, Some Gravel			
50	55	Silty Clay, Gray, Lean, Caliche, White			
55	70	Sand, Red. Brn. Fn- Med. Gr. Sl. Moist			
70	75	Sand, Tan, Med-Lg. Gr. Moist, Gravel			
75	80	Sand, Tan, Med-Lg. Gr. Moist			
80	85	Sand, Tan, Med-Lg. Gr. Moist, Gravel			
85	90	Sand, Tan, Med-Lg. Gr. Sl. Moist			
90	95	Sand, Brn. Fine Grained, Sl. Moist			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-9-93. and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 540. This Water Well Record was completed on (mo/day/yr) 4/12/93. under the business name of Prairie Land Environmental Remediation, Inc. (signature) [Signature]