

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: County: <u>Greeley</u>		Fraction <u>SW 1/4 SW 1/4 NW 1/4</u>		Section Number <u>20</u>	Township Number <u>T 18 S</u>	Range Number <u>R 40 EW</u>
Distance and direction from nearest town or city street address of well if located within city? <u>NW end of Tribune, KS</u>						
2 WATER WELL OWNER: <u>Mangan Cattle Co.</u>						
RR#, St. Address, Box # : City, State, ZIP Code : <u>Tribune, KS 67879</u>				Board of Agriculture, Division of Water Resources Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>117</u> ft. ELEVATION:				
<div style="text-align: center;"><p>1 Mile</p></div>		Depth(s) Groundwater Encountered <u>1</u> <u>110</u> ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL <u>110</u> ft. below land surface measured on mo/day/yr				
		Pump test data: Well water was ft. after hours pumping gpm				
		Est. Yield gpm: Well water was ft. after hours pumping gpm				
Bore Hole Diameter <u>8</u> in. to ft., and in. to ft.		WELL WATER TO BE USED AS:				
1 Domestic		3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)	
2 Irrigation		4 Industrial	7 Lawn and garden only	10 Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes.....No..... <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was sub- mitted						
Water Well Disinfected? Yes <input checked="" type="checkbox"/> No						
5 TYPE OF BLANK CASING USED:						
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped	
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded	
			7 Fiberglass	tin	Threaded.....	
Blank casing diameter <u>5</u> in. to ft., Dia in. to ft., Dia in. to ft.						
Casing height above land surface <u>60 Below</u> in., weight lbs./ft. Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel		3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement	
2 Brass		4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify) <u>N/A</u>	
				9 ABS	12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)	
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes		
			7 Torch cut	10 Other (specify) <u>N/A</u>		
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 <u>Bentonite</u> 4 Other						
Grout Intervals: From <u>25</u> ft. to <u>5</u> ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination:						
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well	
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well	
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below) <u>NONE</u>	
				13 Insecticide storage		
Direction from well?						
How many feet?						
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	
			0	5	cut off casing- top soil	
			5	25	Bentonite hole plug	
			25	117	sand	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>10-4-91</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>473</u> This Water Well Record was completed on (mo/day/yr) <u>10-5-91</u> under the business name of <u>Tyler Water Well Service</u> by (signature) <u>[Signature]</u>						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.						

6260921006-22