			WATE	R WELL RECORD	Form WW	C-5 KSA 8	2a-1212			
		TER WELL:	Fraction			Section Number	1 22		Range Number	
	<u>Greeley</u>		SE 1/4	· /¬	NE 1/4	20	T 18	S	R 40 E(W)	
Distance and direction from nearest town or city street address of well if located within city?										
	400 W.	Lawrence								
2 WATER	R WELL OW	/NER:	USD #200							
RR#, St. A	Address, Bo	×#:	400 W. La	awrence			Board o	of Agriculture,	Division of Water Resources	
City, State	ZIP Code	:	Tribune,	Kansas 6787	9		Applicat	tion Number:		
LOCATE	WELL'S L	OCATION WITH	4 DEPTH OF C	OMPLETED WELL.	115	ft. ELEV	ATION:			
- AN "X"	IN SECTION	N BOX:	Depth(s) Ground	water Encountered	1100	ft	. 2	ft. 3	3	
T [1								4/12/93	
	1									
	Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm									
.		X,	Bore Hole Diam	eter 6.625 _n	to 12	0 ft	and	in	ı. to	
₹ w -	1	E		TO BE USED AS:		ater supply			Injection well	
- 1	1	i	1 Domestic					•	Other (Specify below)	
-	- SW	SE	2 Irrigation	4 Industrial						
	!								, mo/day/yr sample was sub-	
i L		<u> </u>	mitted	bacteriological sampl	e submitted to		Vater Well Disinfe		No X	
5 TYPE C	F BLANK (CASING USED:	IIIIII	5 Wrought iron	a Cor	ncrete tile			d Clamped	
1 Ste		3 RMP (SI	B)	6 Asbestos-Cemer		er (specify bel			•	
2 PV		4 ABS	n)	7 Fiberglass					led	
Plank oggi	Sa diameter	2	in to 95	-					adedX	
Casina hai	abt above le	nd outoo	0.0	in weight		το	π., Dia		in. to ft. l	
		R PERFORATIO		.in., weight						
				5 5%		PVC)		Asbestos-ceme		
1 Ste		3 Stainless		5 Fiberglass		RMP (SR)				
2 Bra		4 Galvaniz		6 Concrete tile		ABS		None used (or	·	
		RATION OPENIN			uzed wrapped	l	8 Saw cut		11 None (open hole)	
	ntinuous slo		lilf slot		re wrapped		9 Drilled hole	-		
	uvered shut		ey punched	7 Tor	rch cut	95	10 Other (spe	cify)		
SCREEN-PERFORATED INTERVALS: From 115 ft. to 95 ft., From ft. to										
From										
G	HAVEL PA	CK INTERVALS:								
00015			From	ft. to		ft., Fr		ft. 1	to ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other										
Grout Intervals: From 95 ft. to 93 ft., From 93 ft. to 0 ft., From ft. to ft. What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well										
							estock pens		bandoned water well	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas										
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)									Other (specify below)	
	•	er lines 6 Seep	age pit	9 Feedyard			ecticide storage			
Direction fr			LITUOLOGIO	100	1 550.		any feet?	DI LIGORIO I	NTERVALO	
FROM 0	<u>то</u> 5	Clay Drk	Brown, Le		FROM		C1 m-	PLUGGING I		
5	25		Brown, Si		95	100			Gr. Grayel Sm.	
25	30				100	115	Sand, Tan,	Med-Lg.	Gr.	
30	35			, Rust, Fn-Me						
				r. Caliche Mo						
35	40			, Rust, Med-1						
40	45	Caliche, W			115	120	Clay, Yell	ow, Fat		
45	50			, White, Med-			e d			
50	55			Fn-Med Gr. N		ed L				
55	60			t, Fn-Med Gr.						
60	65			<u>ravel Some Ca</u>						
65	75			-Lg Gr. Grave						
_75	80	Sand, Tan-	Buff, Med-	Fn Gr. Gravel	L, Med-Le	; .				
80	85	Sand, Tan-	Buff Med-F	n Gr. Gravel,	SM-Lg. C	aliche				
85	90			ravel, Sm-Med		I				
.90				aliche, Some						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was										
completed on (mo/day/year)										
				This Water						
				ironmental Re				KMI	<i>ī</i> .	
								rs. Send ton three	copies to Kansas Department	
				20-0001. Telephone: 913-29						