			WATE	R WELL RECORD F	orm WWC-	5 KSA 82	a-1212	4		
_	ON OF WA	TER WELL:	Fraction		Se	ction Number	Townshi	p Number	Range Number	
County:	Greele	<u> </u>	SE ½	SW 1/4 NE		20	T 1	8 S	R 40 EW	
Distance and direction from nearest town or city street address of well if located within city?  400 W. Lawrence										
2 WATER	R WELL OV		200							
RR#, St. Address, Box # : 400 W. Lawrence Board of Agriculture, Division of Water Resources										
-	•		ie, Kansas					=	Division of water Hesources	
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 116.5 ft. ELEVATION:										
AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 103 ft. 2 ft. 3.  WELL'S STATIC WATER LEVEL 109.33 ft. below land surface measured on mo/day/yr 1/12/23.										
1 1										
-	Pump test data: Well water was ft. after hours pumping gpm									
<u> </u>	Est. Yield gpm: Well water was ft. after hours pumping gp  Bore Hole Diameter 6 • 625 in. to 118 ft., and in. to									
ĕ w ⊢	W []									
_	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify by							•		
-	- SW	SE	1 Domestic							
	!	!!!,	2 Irrigation	4 Industrial 7	Lawn and	garden only (	vionitoring	well MW-1	Ü	
<u>ł</u> L	<u> </u>			rbacteriological sample st	ibmitted to L				, mo/day/yr sample was sub-	
E TYPE (	DE DI ANIK (	CASING USED:	nitted	C 14(			ater Well Disinf		No X	
_				5 Wrought iron	8 Conci				d Clamped	
1 Ste		3 RMP (SR)	)	6 Asbestos-Cement		(specify belo			ed	
2 PVC 4 ABS 7 Fiberglass Threaded. X										
Blank casing diameter 2.0. in. to 96.5 ft., Dia in. to ft., Dia ft.										
Casing height above land surface0.0										
					(7 P)			Asbestos-ceme		
1 Ste		3 Stainless		5 Fiberglass		MP (SR)				
2 Bra		4 Galvanize		6 Concrete tile	9 AE	38		None used (op	· ·	
		RATION OPENING			d wrapped		8 Saw cut		11 None (open hole)	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes										
2 Louvered shutter 4 Key punched 116.5 7 Torch cut 96.5										
SCREEN-PERFORATED INTERVALS: From										
From										
From ft. to ft., From ft. to ft.										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other										
				π., From?Ψ.	π.					
		ource of possible of		7.5%			stock pens		bandoned water well	
	ptic tank	4 Lateral		7 Pit privy			_		Pil well/Gas well	
	wer lines	5 Cess p		5 5			12 Fertilizer storage 16 Other (specify below)			
	_	er lines 6 Seepa	ge pit	9 Feedyard			cticide storage			
Direction f	TO TO		LITHOLOGIC	LOG	FROM	How ma	any feet?	PLUGGING I	NTEDVALC	
0	20	Silt, Yello			100	105	Cond Dark			
20	25	Sand, Brn.			105	110		f, MedI		
25	30	•		Gravel, Sm Cali					. Gr. Gravel	
30	35		-	•	1		ied Sm.			
35	45			Lg-Gr. Gravel	1	115	C1 m-	T - 0		
45	50			r., Caliche	110	115			Clay, Yellow, Fa	
50	55			, Gr. Caliche	115	118	Clay, Yel	low, Fat		
55	60	Sand, Burf,			<del></del>	<del>                                     </del>				
60	65	Caliche, Sa			<del>                                     </del>					
65	,			Ig. Gr., Calich						
	70			d-Lg. Gr. Calid	ne	<del>                                     </del>				
70	75	Sand, Gray,			<u> </u>	1				
75	80	Sand, Buff,			<del>                                     </del>	1				
80	85	Sand, Buff	Med-Lg Gr	., Caliche, Gra	wel, Sm	<b>₩</b>				
85	95			r. Gravel, Sm.		-				
95				Lg, Gr., Calich		44				
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was completed on (mo/day/year)										
completed	on (mo/day	year) . 3-23-9	بې			and this rec	ord is true to the	e best of my kn		
				This Water We				4-12-9	3	
				ronmental Remed				BMIA	<b>)</b>	
				FIRMLY and <u>PRINT</u> clearly. Plea 20-0001. Telephone: 913-296-55						