WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| Country Franklin | | | | | | T | Γ | |
|---|--|---------------------------|-----|----------------|-----------------------|---|---------------------|---------------|
| 1. Location of well: | County Fraction Greeley S/E 1/4S/E 1/ | | 1/4 | Section number | | Township number | Range number | # .w |
| Distance and direction from nearest town or city: | | | | | : | WAYNE MORITZ | | |
| Street address of well location if in city: $8 \text{ W}_{\bullet}, \frac{1}{2} \text{ S}_{\bullet}$ of Tribune, Ks $^{\text{R,R. or stree}}_{\text{City, state,}}$ | | | | | TRIBUNE, KANSAS 67879 | | | |
| 4. Locate with "X" in section below: Sketch map: | | | | | , | 6. Bore hole dia. 9 in. Well depth 107 ft. | Completion date | 977 |
| X House & septic X Y Y Y Y Y Y Y Y Y | | | | | | 7 Cable tool _X Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary 8. Use: _X Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other | | |
| | | | | | · / | | | |
| X Well | | | | | | 9. Casing: Material Plast Height: Above or below Threaded Welded Glue Surface in. RMP X | | |
| 5. Type and color of material | | | | From | То | Dia. 5 in. to 87 ft. depth Wall Thickness: inches or Dia in. to ft. depth gage No 250 | | |
| ####### clay | | | | | 19 | Jess & Lowell | | |
| sandy clay T | | | | 19 | 27 | TypeRMP | | |
| rock | | | | 27 | 32 | | | |
| sandy clay T | | | | 32 | 38 | | | |
| sand coarse | | | | 38 | 45 | | | |
| clay | | | | 45 | 49 | | | |
| sand rock | | | | 49 | 51 | Estimated maximum yieldg.p.m. 13. Water sample submitted:mo./day/yr. | | |
| fine sand clay | | | | | 70 | Yes X No Date 14. Well head completion: NA | | |
| sand rock | | | | | 73 | Pitless adapter Inches above grade 15. Well grouted? <u>Ves</u> | | |
| fine sand clay | | | | | 79 | 15. Well grouted? <u>Yes</u> With: X Neat cement Bentonite Concrete Depth: From 0 ft. to 15 ft. | | |
| sand coarse | | | | | 82 | 16. Negrest source of possible contamination: ft. 2300 Direction North Type Septic | | |
| fine sand clay | | | | | 96 | Well disinfected upon completion? | | |
| sand coarse | | | | | 100 | Manufacturer's name | | |
| sand rock H | | | | 100 | 102 | Model number HP Volts Length of drop pipe ft. capacity g.p.m. | | |
| Yellow | | | | 102 | 107 | Type: Submersible | Turbir | ne 1 |
| (Use a second sheet if needed) | | | | | | Jet Centrifugal | Recipi | rocating |
| 18. Elevation: 19. Remarks: Well not completed by us. Topography: Hill Slope X Upland | | | | | | 20. Water well contractor's of This well was drilled under my is true to the best of my know Weishaar Drilli Business name Address | urisdiction and thi | is report 1 |
| Valley | | | | | | Signed Authorized repr | esentative | |
| Forward the white, blu | e and pink copies to the Department | of Health and Environment | | | | | Form W | NS-5 |