			ATER WELL REC	ORD F	orm WWC-5	KSA 82a-	1212 ID No				
	ION OF WA		Fraction		S			Township Nun	i -		ımber
	cPhers		SE 14				9	│	S	R 5	★ /W
			wn or city street a								
4 mi			-1/2 mile		t of Ma	rguett	e, Ks.				
H	R WELL OWI	Dum	mit Produ	icers							_
, .	ddress, Box		NE 14th							rision of Water	Resources
City, State,	ZIP Code	Abi	lene, Ks.	674	LO	78	# 51 51/4	Application N	umber.	39,229	
			4 DEPTH OF C	OMPLETEL	, MELL	<i>1</i>	II. ELEVA	1 ION:			
AN X II	N SECTION N	BUX:	Depth(s) Groun	ndwater Enc	ountered 28	ft hel	π. ow land surface	2e measured on mo/d	π. 3 av/vr		π.
	ı	1	Pui	mp test data	: Well wate	r was	ft. a	after	hours pur	nping	gpm
	-NW	- NE	Est. Yield 5. 0) <u>- 60</u> gpm	: Well wate	r was	ft. a	after			
- '		- INE	WELL WATER				supply	8 Air conditioning		ection well	lour)
w _	×	E	1 Domestic 2 Irrigation		strial 7	Oil field wate Domestic (la	r supply vn & garden)	 Dewatering Monitoring well 	S	ner (Specify bel tock	
VV	!		2 migation	- IIIaa	otrici 7	Domoono (ia	a gardon,	To morning mon in			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	-sw -	- SE	Man a shamina	مارات معلم مارات	مامسمم امماد	au hanittad ta	Danartmant? \	∕es No X ;	If you mo	/dov/vro comple	o waa sub
	1	I I	was a chemica	u/bacteriolo(gicai sampie	submitted to		res ater Well Disinfected			
	1	I	1,111.00				***				
5 T/DE (S	MOINO HOED	L			0.0	_4 _ 41 _	CACINIO IOINI	TO: Olived	Y Claren	
5 TYPE (ASING USED: 3 RMP (S		5 Wrough	t iron s-Cement	8 Concr			ING JOINTS: GluedX Clamped		
	X PVC 4 ABS				ISS		9 Other (specify below)				
		5	in. to				in. to	ft., Dia		in. to	ft.
Caing hei	ght above la	nd surface	12	in., wei	ight2	37		lbs./ft. Wall thickness	or guage	No 214	
TYPE OF SCREEN OR PERFORATION MATERIAL:				*X P				10 Asbes	stos-Ceme	nt	
				•					ner (Specify)		
2 Bras	ss	4 Galvani:	zed Steel	6 Concret	te tile	9 AE	38	12 None	used (ope	n noie)	
SCREEN (OR PERFOR	RATION OPENII				ed wrapped		8 Saw cut	•	11 None (open	ı hole)
	tinuous slot		Aill slot		6 Wire 7 Torch	wrapped		9 Drilled holes 10 Other (specify)			ft
	vered shutte		Key punched	- 0							
SCREEN-F	PERFORATE	ED INTERVALS	: From	2.8	ft. to	/.0	ft., From		ft. to		tt.
	BRAVEL PAG	CK INTERVALS	3: From	20	ft. to	78	ft., From		ft. to		ft.
						У_					
—	IT MATERIA		at cement		ent grout			1 Other			
Grout Inter			π. το ε contamination:					ft., From		าน. เอandoned water	
		•		1011C W.		/ 4 mil	10 Livest	•			weii
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool					7 Pit privy 8 Sewage lagoon			-	15 Oil well/Gas well 16 Other (specify below)		
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit				9 Feedyard			12 Fertilizer storage13 Insecticide storage		10 01	iei (specify bei	OW)
	•	i lines o deel	page pit		3 i eedyan	.	How man	_			
Direction from well? FROM TO LITHOLOGIC				LOG FROM			то		GGING INTERVALS		
0	2	Mongo:					-	. 250			
2	7	Topsoi Clay,									
7	27		one, tan			<u> </u>					
27	33	Shale,									
33	44		one, tan								
44	53		gray								
53	75		one, tan								
75	80		gray								
										· · · · · · · · · · · · · · · · · · ·	
				<u> </u>							
7 CONTR	ACTOR'S O	R LANDOWNE	R'S CERTIFICA	TION: This	water well w	as 🔏) constr	ucted, (2) reco	onstructed, or (3) plu	gged unde	r my jurisdictio	n and was
completed of	on (mo/day/y	ear) 4/	25/05			· <u>/</u>	and this red	onstructed, or (3) plu cord is true to the bes	t of my kno	wledge and bel	ief. Kansas
Water Well	Contractor's	Licence No	138		This Water	Well Record	was complete	d on (mo/day/yr)	3/12/	บร	
	usiness nam	Pet	terson Ir	riaati	ion Tr	~	by /	signature) /// 🎝	ke (2)	·	