4 100:=	011 65			R WELL RECORD	Form WWC-5	KSA 82					
	ON OF WAT		Fraction	<b>~</b>		ion Number		ship Number	1	Number	
County:	ePherson	from poorest tour	or city street a	SE 1/4 ddress of well if locate	SE ¼	24	<u> </u>	<b>18</b> S	l R	_5 = (1)	
						4.0. 1				_	
* LOT		PA S ETTES 1	morum, 2 M	iles West, km	Lie Morda	west s	nde of	read.			
		NER: Mike Rho									
		(# :1529 No:			Board of Agriculture, Division of Water Resour						
		McPher						olication Number:			
LOCATI	E WELL'S L IN SECTIOI	OCATION WITH	DEPTH OF C	OMPLETED WELL	126	). ft. ELEV	ATION:				
^N ^	III OLOTIO	1		water Encountered 1							
5 I	!	! !   \v	ELL'S STATIC WATER LEVEL 53 ft. below is				urface measi	ured on mo/day/y	r July 5	5, 1988 · · ·	
<b> </b> -	w	NE	Pump	test data: Well water	erwas	ft. :	after	hours p	umping	gpm	
	Ī			.10 gpm: Well water							
┋      ┡									in. to		
<u> </u>	!	!   <sup>-</sup>  v			6 Oil field water supply 9 Dewa 7 Lawn and garden only 10 Obse			_			
	- SW	SE <sub>X</sub> -	Z Domestic				9 Dewater	ring 12			
	1		2 Irrigation								
L	1	\ \	as a chemical/bacteriological sample		submitted to Department? YesNo.x			_			
			nitted					sinfected? Yes			
TYPE	OF BLANK (	CASING USED:		5 Wrought iron	8 Concre	te tile	CASI	NG JOINTS: Glu	ed . 🗶 Cla	amped	
1 Ste		3 RMP (SR)	)	6 Asbestos-Cement	9 Other	specify belo	ow)	We	lded		
₹ P\		4 ABS		7 Fiberglass							
Blank casi	ng diameter		n. to	. <b>1.00</b> ft., Dia	in. to		ft., Dia		. in. to	ft.	
Casing he	ight above is	and surface	18	.in., weight		lbs	./ft. Wall thic	kness or gauge	No	<b></b>	
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:	,	I PV			10 Asbestos-cer	nent		
1 St	1 Steel 3 Stainless steel			5 Fiberglass	8 RM	P (SR)		11 Other (specify)			
2 Brass 4 Galvanized ste			d steel	6 Concrete tile	9 AB	3		12 None used (	open hole)		
SCREEN OR PERFORATION OPENINGS			IS ARE:	5 Gauz	ed wrapped		x8 Saw c	g8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill s			slot	6 Wire	wrapped		9 Drilled	holes			
2 Lo	uvered shut	tér 4 Key	y punched	7 Torch	r cut		10 Other	(specify)			
SCREEN-	PERFORATI	ED INTERVALS:	From	<b>1.09</b> ft. to .	1.2	🔞ft., Fro	om	ft.	to		
			From	ft. to .		ft., Fro	om	ft.	to		
, (	GRAVEL PA	CK INTERVALS:	From		1.2	🧑ft., Fre	om	ft.	to		
									ft. to ft.		
				Cement grout							
arout Inte	rvals: Fro	m 👂 . f	t. to ;	<b>20</b> . ft., From	ft.	to	ft., F				
What is th	e nearest so	ource of possible c	ontamination:			10 Live	stock pens	. 14	Abandoned w	ater well	
1 Septic tank 4 Lateral I			l lines	7 Pit privy				. 15			
2 Sewer lines 5 Cess po			oool	8 Sewage lag	oon 12 Fertilizer storage				16 Other (specify below)		
3 W	atertight sev	ver lines 6 Seepa	ge pit	9 Feedyard		13 Inse	ecticide stora	ige <b>Non</b>	<b>B</b>		
	rom well?						any feet?				
FROM	то		LITHOLOGIC	LOG	FROM	то		LITHOLO	GIC LOG		
0	3										
				ll, brittle							
40		Red & gree	m/gray she	ll, streaks o	f quarts						
70	120	Red & gree	m/gray she	ll, w/streaks	of white	mica.					
			·								
				•				-			
		:									
		*									
CONT	BACTOR'S	OR LANDOWNED	'S CERTIFICAT	ION: This water well v	vas #1) constru	cted (2) re-	constructed	or (3) plugged i	nder my jurier	diction and was	
				This Water \							
				Enterprise		by (sign		Dag		4.46	
				SS FIRMLY and PRINT cle	arly, Please fill in			e correct answers	Send too three or	opies to Kansas	
Departm	ent of Health a	nd Environment, Office	e of Oil Field and En	vironmental Geology, Reg	ulation and Permit	ting Section, T	opeka, Kansa	s 66620-7500, Tele	phone: 913-862-9	9360. Send one	
		NER and retain one fo									