	ELL RECORD	Form V	VWC-5		Division of Wate	r Resources App. N	0.	
1 LOCATIO County: R	ON OF WATER WELL:	Fraction ½ SE ¼ N	W 1/4 NW	Sec	ction Number 5			
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude:			
1 1/8 east of Geneseo					Longitude:			
					Elevation:			
2 WATER WELL OWNER: Vernon Plinsky					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
					Collection Method:			
RR#, Street Address, Box #: City, State, ZIP Code : Copped Ko 67444					GPS unit (Make/Model:)			
Geneseo, Ks. 67444					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE W	VELL			Est.	Accuracy: [] <	3 m, <u> </u>	5-15 m, ∐>15 m	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 152 ft.								
SECTION BOX: Denth(s) Groundwater Encountered (1) & (2) A (2)								
N								
Pump test data: Well water was								
W - NE - EST. YIELD. NAgpm. Well water was								
								WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well
SWSE Domestic								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? Was No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5								
Casing height above land surface. 18 in., Weight SDR 26 lbs./ft., Wall thickness or gauge No.								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw out Other (creatify)								
SCREEN-PERFORATED INTERVALS: From								
From ft to ft From ft to								
GRAVEL PACK INTERVALS: From								
Fromtt. to ft From ft to ft								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From 20 ft., From ft. to ft.								
What is the pass	root source of manifely states	ft., Fron	ı . 4.	ft. to	۲ ft., ۱	From	ft. toft.	
	rest source of possible contained	_	п.			-		
Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
Sewer lines								
Direction fro	.m. rusii North	·			11 405	weii	***************************************	
FROM TO	LITHOLOGI		FROM	TO			GGING INTERVALS	
0 3	Top soil	7.15		136	Light gray sh		OHIO HAIDKAVP9	
3 11	Tan clay	· · · · · · · · · · · · · · · · · · ·		150	Sandstone	IUIO		
11 17	Sandy tan clay & broker	rock		152	Black shale	· · · · · · · · · · · · · · · · · · ·		
17 33	Fire clay	. , JON	100	102	DIACK SHALE			
33 43	Blue gray shale		 					
43 47	Whita clay w/streaks of	sandstone						
47 92	Gray shale	Janus (OHE			<u> </u>			
92 97	Sandstone w/hard shale	streaks			<u> </u>			
97 125	Gray shale	JUGUNS						
25 135	Black shale		 					
7 CONTRACTOR'S OR LANDOWNER'S CEDITIFICATION. This was a second of the s								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 9-28-11								
under my jurisdiction and was completed on (mo/day/year) 9-28-11								
under the business name of Rosencrantz-Bemis Ent. Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blonks and shock the correct arrange.								
Winte, olde, pink) to Kansas Department of Health and Environment, Bureau of Water Geology Section, 1000 CW Joshann St. Switz 400, Tonala, Vanna CC 10, 1207								
1 Visit us at 1								
MCA 920 1212								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								