WATEI	R WEL	L RECORD	Form W	WC-5	Di	vision of Wate	er Resources App. No	o	
1 LOC	ATION	OF WATER WELL:	Fraction		Secti	on Number	Township No.		
Coun	ty: E L	tSWORTH Rice	, 45W454	14NB4		6	T 18 S		
		ddress of Well Location;					System (GPS) in		
from nearest town or intersection: If at owner's address, check here .						Latitude: 30:5/5/63			
						Elevation: //200			
						<u>Datum</u> : ₩GS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: JIM WARDA WARTA					Colle	Collection Method:			
RR#, Street Address, Box #: 1565 AVE T					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, ZIP Code : FLLSWINGU, KS 67439						Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m			
3 LOCATE WELL 740									
1	H AN "X	'IN 4 DEPTH OF	COMPLETED WEL	L 470		ft.		2)	
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1). 105								
N WELL'S STATIC WATER LEVEL									
'	DOWN MILE TO STATE OF THE PROPERTY OF THE PROP								
w NV	The state of the s							ft.	
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							njection well	
sw	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
	Irrigation								
	Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted Water well disinfected? Yes \(\subseteq \) No									
5 TYPE OF CASING USED: Steel PVC Other Other CASING IOINTS: Glued Clamped Welded Threaded									
CASING JOINTS: A Glued Clamped Welded Threaded Casing diameter in. to									
Casing height above land surface 24 in. Weightlbs./ft. Wall thickness or gauge Now Society.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From 160 ft. to 240 ft., From ft. to ft.									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From. 25									
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other									
Grout Intervals: From									
		est source of possible conta					_		
Septic tank									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well									
					_	rell3			
FROM	ТО	LITHOLOG		FROM	ТО			JGGING INTERVALS	
0	24	CLAY							
24	105	SHALE, GRAY							
105	225	SHILE PRO							
225	240	SAMISTONE		+		<u> </u>			
					,				
	<u> </u>								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) 5.17.20/ and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 7.60 This Water Well Record was completed on (mo/day/year)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, bl	ue, pink) t	o Kansas Department of Health	and Environment, Bureau	of Water, Geol	ogy Sect	ion, 1000 SW Ja	ackson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .									
KSA 82a-1212									