KOLAR Document ID: 1587286

WATER WE			WWC-5		vision of Wate					
Original Recor			ge in Well Use		ources App. N		Well			
			Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$	4 ¹ / ₄ Section Number Townshi			e			
county.					$\begin{array}{c c c c c c c c c c c c c c c c c c c $					
2 WELLOWN Business:	EN: Last Name:			rection from nearest town or intersection): If at owner's address, check here:						
Address:	intersection). If at o	wher 5 ddd	1035, 0							
Address:		G :	700							
City: 3 LOCATE WE	T	State:	ZIP:							
WITH "X" IN 4 DEPTH OF COMPLETED WELL:										
SECTION BOX. Depth(s) Groundwater Encountered: 1)					—					
Ν	N 2) ft. 3) ft., or 4) WELL'S STATIC WATER LEVEL:					n: 🗆 WGS 84 🛛		\square N	AD 27	
□ below land surface, mea						Source for Latitude/Longitude:				
			, measured on (mo-day-	yr)		(WAAS enabled? Yes No)				
	Pump test data: Well water					Land Survey Topographic Map				
W Y	X E afterhours pu					□ Online Mapper:				
			s pumping							
Estimated Yield:						6 Elevation:ft. Ground Level TOC				
			in. to		Source	Source: Land Survey GPS Topographic Map Other				
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 										
□ Household 6. □ Dewatering: how many wells?										
	Lawn & Garden 7. Aquifer Recharge: well ID				🗌 Ca	Cased Uncased Geotechnical				
Livestock 8. Monitoring: well ID										
2. ☐ Irrigation 3. ☐ Feedlot	2. Irrigation 9. Environmental Remediation: well ID 3. Feedlot Air Sparge Soil Vapor Ex					a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water				
4. Industrial		Recovery	Anachon		13. Other (specify):					
4. Industrial Recovery Injection 13. Other (specify): Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:										
Water well disinfected? Ves No										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.										
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)										
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.										
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Nearest source of			potential source of cont							
Septic Tank		Lateral Line			Livestock Pe		secticide Sto			
Sewer Lines			Sewage Lag		Fuel Storage		andoned W		Vell	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)										
Direction from well?										
10 FROM TO		LITHOLO		FROM		LITHO. LOG (con		GIN	JINTERVALS	
				Notes:	I					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.										
under my jurisdic	tion and was co	mpleted on (n	no-day-year) This Wa	ter Wall Do	this record i	s true to the best of	ot my knov	wledg	e and belief.	
			This wa							
	Send one co	py to WATER W	/ELL OWNER and retain o	ne for your rec	ords. Fee of \$5	.00 for each constructed	ed well.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										